

FORMALIZATION OF ABSTRACT STATE TRANSITION SYSTEMS FOR SAT

FILIP MARIĆ AND PREDRAG JANIČIĆ

Faculty of Mathematics, University of Belgrade, Studentski Trg 16, 11000 Belgrade
e-mail address: filip@matf.bg.ac.rs

Faculty of Mathematics, University of Belgrade, Studentski Trg 16, 11000 Belgrade
e-mail address: janicic@matf.bg.ac.rs

ABSTRACT. We present a formalization of modern SAT solvers and their properties in a form of *abstract state transition systems*. SAT solving procedures are described as transition relations over states that represent the values of the solver's global variables. Several different SAT solvers are formalized, including both the classical DPLL procedure and its state-of-the-art successors. The formalization is made within the Isabelle/HOL system and the total correctness (soundness, termination, completeness) is shown for each presented system (with respect to a simple notion of satisfiability that can be manually checked). The systems are defined in a general way and cover procedures used in a wide range of modern SAT solvers. Our formalization builds up on the previous work on state transition systems for SAT, but it gives machine-verifiable proofs, somewhat more general specifications, and weaker assumptions that ensure the key correctness properties. The presented proofs of formal correctness of the transition systems can be used as a key building block in proving correctness of SAT solvers by using other verification approaches.

1. INTRODUCTION

The problem of checking propositional satisfiability (SAT) is one of the central problems in computer science. It is the problem of deciding if there is a valuation of variables under which a given propositional formula (in conjunctive normal form) is true. SAT was the first problem that was proved to be NP-complete [Coo71] and it still holds a central position in the field of computational complexity. SAT solvers, procedures that solve the SAT problem, are successfully used in many practical applications such as electronic design automation, software and hardware verification, artificial intelligence, and operations research.

Most state-of-the-art complete SAT solvers are essentially based on a branch and backtrack procedure called Davis-Putnam-Logemann-Loveland or the DPLL procedure [DP60, DLL62]. Modern SAT solvers usually also employ (i) several conceptual, high-level algorithmic additions to the original DPLL procedure, (ii) smart heuristic components, and (iii) better low-level implementation techniques. Thanks to these, spectacular improvements in

1998 ACM Subject Classification: F.3.1 Specifying and Verifying and Reasoning about Programs, F.4.1 Mathematical Logic.

Key words and phrases: formal verification, SAT solving, abstract state transition systems, Isabelle/HOL.

the performance of SAT solvers have been achieved and nowadays SAT solvers can decide satisfiability of CNF formulae with tens of thousands of variables and millions of clauses.

The tremendous advance in the SAT solving technology has not been accompanied with corresponding theoretical results about the solver correctness. Descriptions of new procedures and techniques are usually given in terms of implementations, while correctness arguments are either not given or are given only in outlines. This gap between practical and theoretical progress needs to be reduced and first steps in that direction have been made only recently, leading to the ultimate goal of having modern SAT solvers that are formally proved correct. That goal is vital since SAT solvers are used in applications that are very sensitive (e.g., software and hardware verification) and their misbehaviour could be both financially expensive and dangerous from the aspect of security. Ensuring trusted SAT solving can be achieved by two approaches.

One approach for achieving a higher level of confidence in SAT solvers' results, successfully used in recent years, is proof-checking [ZM03, GN03, Gel07, WA09, DFMS10]. In this approach, solvers are modified so that they output not only *sat* or *unsat* answers, but also justification for their claims (models for satisfiable instances and proof objects for unsatisfiable instances) that are then checked by independent proof-checkers. Proof-checking is relatively easy to implement, but it has some drawbacks. First, justification for every solved SAT instance has to be verified separately. Also, generating unsatisfiability proofs introduces some overhead to the solver's running time, proofs are typically large and may consume gigabytes of storage space, and proof-checking itself can be time consuming [Gel07]. Since proof-checkers have to be trusted, they must be very simple programs so they can be "verified" by code inspection.¹ On the other hand, in order to be efficient, they must use specialized functionality of the underlying operating system which reduces the level of their reliability (e.g., the proof checker used in the SAT competitions uses Linux's `mmap` functionality [Gel07]).

The other approach for having trusted solvers' results is to verify the SAT solver itself, instead of checking each of its claims. This approach is very demanding, since it requires formal analysis of the complete solver's behaviour. In addition, whenever the implementation of the solver changes, the correctness proofs must be adapted to reflect the changes. Still, in practice, the core solving procedure is usually stable and stays fixed, while only heuristic components frequently change. The most challenging task is usually proving the correctness of the core solving procedures, while heuristic components only need to satisfy relatively simple properties that are easily checked. This approach gives also the following benefits:

- Although the overheads of generating unsatisfiability proofs during solving are not unmanageable, in many applications they can be avoided if the solver itself is trusted.²
- Verification of modern SAT solvers could help in better theoretical understanding of how and why they work. A rigorous analysis and verification of modern SAT solvers may reveal some possible improvements in underlying algorithms and techniques which can influence and improve other solvers as well.

¹Alternatively, proof-checkers could be formally verified by a proof assistant, and then their correctness would rely on the correctness of the proof assistant.

²In some applications, proofs of unsatisfiability are still necessary as they are used, for example, for extracting unsatisfiable cores and interpolants.




Figure 1: Different approaches for SAT solver verification

- Verified SAT solvers can serve as trusted kernel checkers for verifying results of other untrusted verifiers such as BDDs, model checkers, and SMT solvers. Also, verification of some SAT solver modules (e.g., Boolean constraint propagation) can serve as a basis for creating both verified and efficient proof-checkers for SAT.

In order to prove correctness of a SAT solver, it has to be formalized in some meta-theory so its properties can be analyzed in a rigorous mathematical manner. In order to achieve the desired highest level of trust, formalization in a classical “pen-and-paper” fashion is not satisfactory and, instead, a mechanized and machine-checkable formalization is preferred. The formal specification of a SAT solver can be made in several ways (illustrated in Figure 1, each with an appropriate verification paradigm and each having its own advantages and disadvantages, described in the following text).

Verification of abstract state transition system: State transition systems are an abstract and purely mathematical way of specifying program behaviour. Using this approach, the SAT solver’s behaviour is modelled by transitions between states that represent the values of the solver’s global variables. Transitions can be made only by following precisely defined transition rules. Proving correctness of state transition systems can be performed by the standard mathematical apparatus. There are state transition systems describing the top-level architecture of the modern DPLL-based SAT solvers (and related SMT solvers) [KG07, NOT06] and their correctness has been informally shown.

The main advantage of the abstract state transition systems is that they are mathematical objects, so it is relatively easy to make their formalization within higher-order logic and to formally reason about them. Also, their verification can be a key building block for other verification approaches. Disadvantages are that the transition systems do not specify many details present in modern solver implementations and that they are not directly executable.

Verified implementation within a proof assistant: A program’s behaviour can be specified within the higher-order logic of a proof assistant (regarded as a purely functional programming language). This approach is often called *shallow embedding into HOL*. Specifications may vary from very abstract ones to detailed ones covering most details present in the real SAT solver’s code. The level of details can incrementally be increased (e.g., by using a datatype refinement). Having the specification inside the logic, its correctness can be proved again by using the standard mathematical apparatus (mainly induction and equational reasoning). Based

on the specification, executable functional programs can be generated by means of code extraction — the term language of the logic within the proof assistant is identified with the term language of the target language and the verified program correctness is transferred to the exported program, up to simple transformation rules.

Advantages of using the shallow embedding are that, once the solver is defined within the proof assistant, it is possible to verify it directly inside the logic and a formal model of the operational or denotational semantics of the language is not required. Also, extracted executable code can be trusted with a very high level of confidence. On the other hand, the approach requires building a fresh implementation of a SAT solver within the logic. Also, since higher-order logic is a pure functional language, it is unadapted to modelling imperative data-structures and their destructive updates. Special techniques must be used to have mutable data-structures and, consequently, an efficient generated code [BKH⁺08].

Verification of the real implementations: The most demanding approach for verifying a SAT solver is to directly verify the full real-world solver code. Since SAT solvers are usually implemented in imperative programming languages, verifying the correctness of implementation can be made by using the framework of Hoare logic [Hoa69] — a formal system for reasoning about programs written in imperative programming languages. The program behaviour can then be described in terms of preconditions and postconditions for pieces of code. Proving the program correctness is made by formulating and proving verification conditions. For instance, Isabelle/HOL provides a formal verification environment for sequential imperative programs ([Sch06]).

The main benefit of using the Hoare style verification is that it enables reasoning about the imperative code, which is the way that most real-world SAT solvers are implemented. However, since real code is overwhelmingly complex, simpler approximations are often made and given in pseudo-programming languages. This can significantly simplify the implementation, but leaves a gap between the correctness proof and the real implementation.

In this paper we focus on the first verification approach as it is often suitable to separate the verification of the abstract algorithms and that of their specific implementations.³ In addition, state transition systems, as the most abstract specifications, cover the widest range of existing SAT solver implementations. Moreover, the reasoning used in verifying abstract state transition systems for SAT can serve as a key building block in verification of more detailed descriptions of SAT solvers using the other two approaches described above (as illustrated by Figure 1). Indeed, within our SAT verification project [MJ09], we have already applied these two approaches [Mar09, Mar10, MJ10], and in both cases the correctness arguments were mainly reduced to correctness of the corresponding abstract state transition systems. These transition systems and their correctness proofs are presented in this paper for the first time, after they evolved to some extent through application within the other two verification approaches.

The methodology that we use in this paper for the formalization of SAT solvers via transition systems is *incremental refinement*: the formalization begins with a most basic

³A recent example is the L4 verified OS kernel, where a shallowly embedded Haskell specification of the kernel is verified, and then the C code is shown to implement the Haskell specification, yielding a natural separation of concepts and issues [Kle10].

specification, which is then refined by introducing more advanced techniques, while preserving the correctness. This incremental approach proves to be a very natural approach in formalizing complex software systems. It simplifies understanding of the system and reduces the overall verification effort. Each of the following sections describes a separate abstract state transition system. Although, formally viewed, all these systems are independent, each new system extends the previous one and there are tight connections between them. Therefore, we do not expose each new system from scratch, but only give additions to the previous one. We end up with a system that rather precisely describes modern SAT solvers, including advanced techniques such as backjumping, learning, conflict analysis, forgetting and restarting. The systems presented are related to existing solvers, their abstract descriptions and informal correctness proofs.

The paper is accompanied by a full formalization developed within the Isabelle/HOL proof assistant.⁴ The full version of the paper⁵ contains an appendix with informal proofs of all lemmas used. All definitions, lemmas, theorems and proofs of top-level statements given in the paper correspond to their Isabelle counterparts, and here are given in a form accessible not only to Isabelle users, but to a wider audience.

The main challenge in each large formalization task is to define basic relevant notions in appropriate terms, build a relevant theory and a suitable hierarchy of lemmas that facilitates constructing top-level proofs. Although in this paper we do not discuss all decisions made in the above directions, the final presented material is supposed to give the main motivating ideas and, implicitly, to illustrate a proof management technology that was used. The main purpose of the paper is to give a clear picture of central ideas relevant for verification of SAT transition systems, hopefully interesting both to SAT developers and to those involved in formalization of mathematics.

The main contributions of this paper are the following.

- SAT solving process is introduced by a hierarchical series of abstract transition systems, ending up with the state-of-the-art system.
- Formalization and mechanical verification of properties of the abstract transition systems for SAT are performed (within this, invariants and well-founded relations relevant for termination are clearly given; conditions for soundness, completeness, and termination are clearly separated). Taking advantage of this formalization, different real-world SAT solvers can be verified, using different verification approaches.
- First proofs (either informal or formal) of some properties of modern SAT solvers (e.g., termination condition for frequent restarting) are given, providing deeper understanding of the solving process.

The rest of the paper is organized as follows: In Section 2 some background on SAT solving, abstract state transition systems, and especially abstract state transition systems for SAT is given. In Section 3 basic definitions and examples of propositional logic and CNF formulae are given. In Section 4, a system corresponding to basic DPLL search is formalized. In Section 5, that system is modified and backtracking is replaced by more advanced backjumping. In Section 6, the system is extended by clause learning and forgetting. In Section 7 and Section 8 a system with conflict analysis and a system with restarting and

⁴The whole presented formalization is available from AFP [Mar08] and, the latest version, from <http://argo.matf.bg.ac.rs>.

⁵The full version of the paper is available from <http://argo.matf.bg.ac.rs>.

forgetting are formalized. In Section 9 we discuss related work and our contributions. In Section 10, final conclusions are drawn.

2. BACKGROUND

In this section we give a brief, informal overview of the SAT solving process, abstract state transition systems and abstract state transition systems for SAT. The paper does not intend to be a tutorial on modern DPLL-based SAT solving techniques — the rest of the paper contains only some brief explanations and assumes the relevant background knowledge (more details and tutorials on modern SAT solving technology can be found in other sources e.g., [BHMW09, Mar09]).

2.1. SAT Solving. SAT solvers are decision procedures for the satisfiability problem for propositional formulae in conjunctive normal form (CNF). State-of-the-art SAT solvers are mainly based on a branch-and-backtrack procedure called DPLL (Davis-Putnam-Logemann-Loveland) [DP60, DLL62] and its modern successors. The original DPLL procedure (shown in Figure 2) combines backtrack search with some basic, but efficient inference rules.

```
function dpll ( $F$  : Formula) : (SAT, UNSAT)
begin
  if  $F$  is empty then return SAT
  else if there is an empty clause in  $F$  then return UNSAT
  else if there is a pure literal  $l$  in  $F$  then return dpll( $F[l \rightarrow \top]$ )
  else if there is a unit clause  $[l]$  in  $F$  then return dpll( $F[l \rightarrow \top]$ )
  else begin
    select a literal  $l$  occurring in  $F$ 
    if dpll( $F[l \rightarrow \top]$ ) = SAT then return SAT
    else return dpll( $F[l \rightarrow \perp]$ )
  end
end
```

Figure 2: The original DPLL procedure

The search component selects a branching literal l occurring in the formula F , and tries to satisfy the formula obtained by replacing l with \top and simplifying afterwards. If the simplified formula is satisfiable, so is the original formula F . Otherwise, the formula obtained from F by replacing l with \perp and by simplifying afterwards is checked for satisfiability and it is satisfiable if and only if the original formula F is satisfiable. This process stops if the formula contains no clauses or if it contains an empty clause. A very important aspect of the search process is the strategy for selecting literals for branching — while not important for the correctness of the procedure, this strategy can have a crucial impact on efficiency.

The simple search procedure is enhanced with several simple inference mechanisms. The *unit clause* rule is based on the fact that if there is a clause with a single literal present in F , its literal must be true in order to satisfy the formula (so there is no need for branching on that literal). The *pure literal* rule is based on the fact that if a literal occurs in the formula, but its opposite literal does not, if the formula is satisfiable, in one of its models that literal is true. These two rules are not necessary for completeness, although they have a significant impact on efficiency.

Passing valuations instead of modifying the formula. In the original DPLL procedure, the formula considered is passed as a function argument, and modified throughout recursive calls. This is unacceptably inefficient for huge propositional formulae and can be replaced by a procedure that maintains a current (partial) valuation M and, rather than modifying the formula, keeps the formula constant and checks its value against the current valuation (see Figure 3). The inference rules used in the original procedure must be adapted to fit this variant of the algorithm. The unit clause rule then states that if there is a clause in F such that all its literals, except exactly one, are false in M , and that literal is undefined in M , then this literal must be added to M in order to satisfy this clause. The pure literal rule turns out to be too expensive in this context, so modern solvers typically do not use it.

```

function dpll (M : Valuation) : (SAT, UNSAT)
begin
  if M ⊨ ¬F then return UNSAT
  else if M is total wrt. the variables of F then return SAT
  else if there is a unit clause (i.e., a clause
    l ∨ l1 ∨ ... ∨ lk in F s.t. l,  $\bar{l}$  ∉ M,  $\bar{l}_1, \dots, \bar{l}_k \in M$ ) then return dpll(M ∪ {l})
  else begin
    select a literal l s.t. l ∈ F, l,  $\bar{l}$  ∉ M
    if dpll(M ∪ {l}) = SAT then return SAT
    else return dpll(M ∪ { $\bar{l}$ })
  end
end
end
    
```

Figure 3: DPLL procedure with valuation passing

Non-recursive implementation. To gain efficiency, modern SAT solvers implement DPLL-like procedures in a non-recursive fashion. Instead of passing arguments through recursive calls, both the current formula F and the current partial valuation M are kept as global objects. The valuation acts as a stack and is called *assertion trail*. Since the trail represents a valuation, it must not contain repeated nor opposite literals (i.e., it is always *distinct* and *consistent*). Literals are added to the stack top (*asserting*) or removed from the stack top (*backtracking*). The search begins with an empty trail. During the solving process, the solver selects literals undefined in the current trail M and asserts them, marking them as *decision literals*. Decision literals partition the trail into *levels*, and the level of a literal is the number of decision literals that precede that literal in the trail. After each decision, unit propagation is exhaustively applied and unit literals are asserted to M , but as *implied literals* (since they are not arbitrary decisions). This process repeats until either (i) a clause in F is found which is false in the current trail M (this clause is called a *conflict clause*) or (ii) all the literals occurring in F are defined in M and no conflict clause is found in F . In the case (i), a conflict reparation (backtracking) procedure must be applied. In the basic variant of the conflict reparation procedure, the last decision literal l and all literals after it are backtracked from M , and the opposite literal of l is asserted, also as an *implied literal*. If there is no decision literal in M when a conflict is detected, then the formula F is unsatisfiable. In the case (ii), the formula is found to be satisfiable and M is its model.

Modern DPLL enhancements. For almost half of a century, DPLL-based SAT procedures have undergone various modifications and improvements. Accounts of the evolution of SAT solvers can be found in recent literature [BHMW09, GKSS07]. Early SAT solvers based on DPLL include Tableau (NTAB), POSIT, 2cl and CSAT, among others. In the

mid 1990's, a new generation of solvers such as GRASP [MSS99], SATO [Zha97], Chaff [MMZ⁺01], and BerkMin [GN02] appeared, and in these solvers a lot of attention was paid to optimisation of various aspects of the DPLL algorithm. Some influential modern SAT solvers include MiniSat [ES04] and PicoSAT [Bie08].

A significant improvement over the basic search algorithm is to replace the simple conflict reparation based on backtracking by a more advanced one based on *conflict driven backjumping*, first proposed in the Constraint Satisfaction Problem (CSP) domain [BHZ06]. Once a conflict is detected, a *conflict analysis procedure* finds sequence of decisions (often buried deeper in the trail) that eventually led to the current conflict. Conflict analysis can be described in terms of graphs and the backjump clauses are constructed by traversing a graph called *implication graph* [MSS99]. The process can also be described in terms of resolution that starts from the conflict clause and continues with clauses that caused unit propagation of literals in that clause [ZM02]. There are several strategies for conflict analysis, leading to different backjump clauses [BHMW09]. Most conflict analysis strategies are based on the following scheme:

- (1) Conflict analysis starts with a conflict clause (i.e., the clause from F detected to be false in M). The conflict analysis clause C is set to the conflict clause.
- (2) Each literal from the current conflict analysis clause C is false in the current trail M and is either a decision literal or a result of a propagation. For each propagated literal l it is possible to find a clause (*reason clause*) that caused l to be propagated. The propagated literals from C are then replaced (it will be said *explained*) by remaining literals from their reason clauses. The process of conflict analysis then continues.

The described procedure continues until some termination condition is met, and the backjump clause is then constructed. Thanks to conflict driven backjumping, a lot of unnecessary work can be saved compared to the simple backtrack operation. Indeed, the simple backtracking would have to consider all combinations of values for all decision literals between the backjump point and the last decision, while they are all irrelevant for the particular conflict.

The result of conflict analysis is usually a clause that is a logical consequence of F and that explains a particular conflict that occurred. If this clause was added to F , then this type of conflict would occur never again during search (even in some other contexts, i.e., in some other parts of the search space). This is why solvers usually perform *clause learning* and append (redundant) deduced clauses to F . However, if the formula F becomes too large, some clauses have to be *forgotten*. Conflict driven backjumping with clause learning were first incorporated into a SAT solver in the mid 1990's by Silva and Sakallah in GRASP [MSS99] and by Bayardo and Schrag in *rel_sat* [BS97]. DPLL-based SAT solvers employing conflict driven clause learning are often called *CDCL solvers*.

Another significant improvement is to empty the trail and *restart* the search from time to time, in a hope that it would restart in an easier part of the search space. Randomized restarts were introduced by Gomes et al. [GSK98] and further developed by Baptista and Marques-Silva [BMS00].

One of the most demanding operations during solving is the detection of false and unit clauses. Whenever a literal is asserted, the solver must check F for their presence. To aid this operation, smart data structures with corresponding implementations are used. One of the most advanced ones is the *two-watched literal scheme*, introduced by Moskewicz et al. in their solver zChaff [MMZ⁺01].

2.2. Abstract State Transition Systems. An *abstract state transition system* for an imperative program consists of a set of *states* S describing possible values of the program's global variables and a binary transition relation $\rightarrow \subseteq S \times S$. The transition relation is usually the union of smaller transition relations \rightarrow_i , called the *transition rules*. If $s \rightarrow_i s'$ holds, we say that the rule i has been applied to the state s and the state s' has been obtained. Transition rules are denoted as:

$$\text{Rule name : } \frac{\text{cond}_1 \quad \dots \quad \text{cond}_k}{\text{effect}}$$

Above the line are the conditions $\text{cond}_1, \dots, \text{cond}_k$ that the state s must meet in order for the rule to be applicable and the *effect* denotes the effect that must be applied to the components of s in order to obtain s' .

More formally, transition rules can be defined as relations over states:

$$\text{Rule name } s \ s' \text{ iff } \phi$$

where ϕ denotes a formula that describes conditions on s that have to be met and the relationship between s and s' .

Some states are distinguished as *initial states*. An initial state usually depends on the program input. A state is a *final state* if no transition rules can be applied. Some states (not necessarily final) are distinguished as the *outcome states* carrying certain resulting information. If a program terminates in a final outcome state, it emits a result determined by this state. For a decision procedure (such as a SAT solver), there are only two possible outcomes: *yes* (*sat*) or *no* (*unsat*). A state transition system is considered to be correct if it has the following properties:

Termination: from each initial state s_0 , the execution eventually reaches a final state (i.e., there are no infinite chains $s_0 \rightarrow s_1 \rightarrow \dots$).

Soundness: the program always gives correct answers, i.e., if the program, starting with an input I from an initial state s_0 , reaches a final outcome state with a result O , then O is the desired result for the input I .

Completeness: the program always gives an answer if it terminates, i.e., all final states are outcome states.

2.3. Abstract State Transition Systems for SAT. Two transition rule systems that model DPLL-based SAT solvers and related SMT solvers have been published recently. Both systems present a basis of the formalization described in this paper. The system of Krstić and Goel [KG07] gives a more detailed description of some parts of the solving process (particularly the conflict analysis phase) than the one given by Nieuwenhuis, Oliveras and Tinelli [NOT06], so we present its rules in Figure 4. In this system, along with the formula F and the trail M , the state of the solver is characterized by the conflict analysis set C that is either a set of literals (i.e., a clause) or the distinguished symbol *no_cflct*. Input to the system is an arbitrary set of clauses F_0 . The solving starts from a initial state in which $F = F_0$, $M = []$, and $C = \text{no_cflct}$.

The **Decide** rule selects a literal from a set of decision literals L and asserts it to the trail as a decision literal. The set L is typically just the set of all literals occurring in the input formulae. However, in some cases a smaller set can be used (based on some specific

$$\begin{array}{l}
\text{Decide : } \frac{l \in L \quad l, \bar{l} \notin M}{M := M l^d} \\
\text{UnitPropag : } \frac{l \vee l_1 \vee \dots \vee l_k \in F \quad \bar{l}_1, \dots, \bar{l}_k \in M \quad l, \bar{l} \notin M}{M := M l^i} \\
\text{Conflict : } \frac{C = \text{no_cflct} \quad \bar{l}_1 \vee \dots \vee \bar{l}_k \in F \quad l_1, \dots, l_k \in M}{C := \{l_1, \dots, l_k\}} \\
\text{Explain : } \frac{l \in C \quad l \vee \bar{l}_1 \vee \dots \vee \bar{l}_k \in F \quad l_1, \dots, l_k \prec l}{C := C \cup \{l_1, \dots, l_k\} \setminus \{l\}} \\
\text{Learn : } \frac{C = \{l_1, \dots, l_k\} \quad \bar{l}_1 \vee \dots \vee \bar{l}_k \notin F}{F := F \cup \{\bar{l}_1 \vee \dots \vee \bar{l}_k\}} \\
\text{Backjump : } \frac{C = \{l, l_1, \dots, l_k\} \quad \bar{l} \vee \bar{l}_1 \vee \dots \vee \bar{l}_k \in F \quad \text{level } l > m \geq \text{level } l_i}{C := \text{no_cflct} \quad M := M^{[m]} \bar{l}^i} \\
\text{Forget : } \frac{C = \text{no_cflct} \quad c \in F \quad F \setminus c \models c}{F := F \setminus c} \\
\text{Restart : } \frac{C = \text{no_cflct}}{M := M^{[0]}}
\end{array}$$

Figure 4: Transition system for SAT solving by Krstić and Goel ($l_i \prec l_j$ denotes that the literal l_i precedes l_j in M , l^d denotes a decision literal, l^i an implied literal, level l denotes the decision level of a literal l in M , and $M^{[m]}$ denotes the prefix of M up to the level m).

knowledge about the encoding of the input formula). Also, there are cases when this set is in fact larger than the set of all variables occurring in the input formula.⁶

The **UnitPropag** rule asserts a unit literal l to the trail M as an implied literal. This reduces the search space since only one valuation for l is considered.

The **Conflict** rule is applied when a conflict clause is detected. It initializes the conflict analysis and the reparation procedure, by setting C to the set of literals of the conflict clause. This set is further refined by successive applications of the **Explain** rule, which essentially performs a resolution between the clause C and the clause that is the reason of propagation of its literal l . During the conflict analysis procedure, the clause C can be added to F by the **Learn** rule. However, this is usually done only once — when there is exactly one literal in C present at the highest decision level of M . In that case, the **Backjump** rule can be applied. That resolves the conflict by backtracking the trail to a level (usually the lowest possible) such that C becomes unit clause with a unit literal l . In addition, unit propagation of l is performed.

The **Forget** rule eliminates clauses. Namely, because of the learning process, the number of clauses in the current formula increases. When it becomes too large, detecting false and unit clauses becomes too demanding, so from time to time, it is preferable to delete from F some clauses that are redundant. Typically, only learnt clauses are forgotten (as they are always redundant).

⁶For example, the standard DIMACS format for SAT requires specifying the number of variables and the clauses that make the formula, without guarantees that every variable eventually occurs in the formula.

3. UNDERLYING THEORY

As a framework of our formalization, higher-order logic is used, in a similar way as in the system Isabelle/HOL [NPW02]. Formulae and logical connectives of this logic (\wedge , \vee , \neg , \longrightarrow , \longleftarrow) are written in the standard way. Equality is denoted by $=$. Function applications are written in prefix form, as in $f\ x_1 \dots x_n$. Existential quantification is denoted by $\exists x$ and universal quantification by $\forall x$

In this section we will introduce definitions necessary for notions of satisfiability and notions used in SAT solving. Most of the definitions are simple and technical so we give them in a very dense form. They make the paper self-contained and can be used just for reference.

The correctness of the whole formalization effort eventually relies on the definition of satisfiable formulae, which is rather straightforward and easily checked by human inspection.

3.1. Lists, Multisets, and Relations. We assume that the notions of ordered pairs, lists and (finite) sets are defined within the theory. Relations and their extensions are used primarily in the context of ordering relations and the proofs of termination. We will use standard syntax and semantics of these types and their operations. However, to aid our formalization, some additional operations are introduced.

Definition 1 (Lists related).

- The *first position of an element e in a list l* , denoted $\text{firstPos } e\ l$, is the zero-based index of the first occurrence of e in l if it occurs in l or the length of l otherwise.
- The *prefix to an element e of a list l* , denoted by $\text{prefixTo } e\ l$, is the list consisting of all elements of l preceding the first occurrence of e (including e).
- The *prefix before an element e of a list l* , denoted by $\text{prefixBefore } e\ l$ is the list of all elements of l preceding the first occurrence of e (not including e).
- An element e_1 *precedes e_2 in a list l* , denoted by $e_1 \prec_l e_2$, if both occur in l and the first position of e_1 in l is less than the first position of e_2 in l .
- A list p is a *prefix* of a list l (denoted by $p \leq l$) if there exists a list s such that $l = p @ s$.

Definition 2 (Multiset). A multiset over a type X is a function S mapping X to natural numbers. A multiset is *finite* if the set $\{x \mid S(x) > 0\}$ is finite. The *union* of multisets S and T is a function defined as $(S \cup T)(x) = S(x) + T(x)$.

Definition 3 (Relations related).

- The composition of two relations ρ_1 and ρ_2 is denoted by $\rho_1 \circ \rho_2$. The n -th degree of the relation ρ is denoted by ρ^n . The transitive closure of ρ is denoted by ρ^+ , and the transitive and reflexive closure of ρ by ρ^* .
- A relation \succ is *well-founded* iff:

$$\forall P. ((\forall x. (\forall y. x \succ y \longrightarrow P(y)) \longrightarrow P(x)) \longrightarrow (\forall x. P(x)))$$

- If \succ is a relation on X , then its *lexicographic extension* \succ^{lex} is a relation on lists of X , defined by:

$$s \succ^{\text{lex}} t \quad \text{iff} \quad (\exists r. s = t @ r \wedge r \neq []) \vee \\ (\exists r\ s'\ t'\ a\ b. s = r @ a @ s' \wedge t = r @ b @ t' \wedge a \succ b)$$

- If \succ is a relation on X , then its *multiset extension* \succ^{mult} is a relation defined over multisets over X (denoted by $\langle x_1, \dots, x_n \rangle$). The relation \succ^{mult} is a transitive closure of the relation \succ^{mult_1} , defined by:

$$S_1 \succ^{\text{mult}_1} S_2 \quad \text{iff} \quad \exists S' S'_2 s_1. \quad S_1 = S \cup \langle s_1 \rangle \wedge S_2 = S \cup S'_2 \wedge \\ \forall s_2. s_2 \in S'_2 \longrightarrow s_1 \succ s_2$$

- Let \succ_x and \succ_y be relations over X and Y . Their *lexicographic product*, denoted by $\succ_x \langle * \text{lex} * \rangle \succ_y$, is a relation \succ on $X \times Y$ such that

$$(x_1, y_1) \succ (x_2, y_2) \text{ iff } x_1 \succ_x x_2 \vee (x_1 = x_2 \wedge y_1 \succ_y y_2)$$

- Let \succ_x be a relation on X , and for each $x \in X$ let \succ_y^x be a relation over Y (i.e., let $\lambda x. \succ_y^x$ be a function mapping X to relations on Y). Their *parametrized lexicographic product*,⁷ denoted by $\succ_x \langle * \text{lex}^{\text{P}} * \rangle \succ_y^x$, is a relation \succ on $X \times Y$ such that

$$(x_1, y_1) \succ (x_2, y_2) \text{ iff } x_1 \succ_x x_2 \vee (x_1 = x_2 \wedge y_1 \succ_y^{x_1} y_2).$$

Proposition 1 (Properties of well-founded relations).

- A relation \succ is well-founded iff

$$\forall Q. (\exists a \in Q) \longrightarrow (\exists a_{\min} \in Q. (\forall a'. a_{\min} \succ a' \longrightarrow a' \notin Q))$$

- Let f be a function and \succ a relation such that $x \succ y \longrightarrow fx \succ' fy$. If \succ' is well-founded, then so is \succ .
- If \succ is well-founded, then so is \succ^{mult} .
- Let \succ_x be a well-founded relation on X and for each $x \in X$ let be \succ_y^x a well-founded relation. Then $\succ_x \langle * \text{lex}^{\text{P}} * \rangle \succ_y^x$ is well-founded.

3.2. Logic of CNF formulae.

Definition 4 (Basic types).

Variable	natural number
Literal	either a positive variable (Pos vbl) or a negative variable (Neg vbl)
Clause	a list of literals
Formula	a list of clauses
Valuation	a list of literals
Trail	a list of (Literal, bool) pairs

For the sake of readability, we will sometimes omit types and use the following naming convention: literals (i.e., variables of the type **Literal**) are denoted by l (e.g., $l, l', l_0, l_1, l_2, \dots$), variables by vbl , clauses by c , formulae by F , valuations by v , and trails by M .

Note that, in order to be closer to implementation (and to the standard solver input format — DIMACS), clauses and formulae are represented using lists instead of sets (a more detailed discussion on this issue is given in Section 9). Although a trail is not a list of literals (but rather a list of (**Literal, bool**) pairs), for simplicity, we will often identify it with its list of underlying literals, and we will treat trails as valuations. In addition, a trail can be implemented, not only as a list of (**Literal, bool**) pairs but in some other equivalent way.

⁷Note that lexicographic product can be regarded as a special case of parametrized lexicographic product (where a same \succ_y is used for each $x \in X$).

We abuse the notation and overload some symbols. For example, the symbol \in denotes both set membership and list membership, and it is also used to denote that a literal occurs in a formula. Symbol vars is also overloaded and denotes the set of variables occurring in a clause, in a formula, or in a valuation.

Definition 5 (Literals and clauses related).

- The *opposite literal* of a literal l , denoted by \bar{l} , is defined by: $\overline{\text{Pos } vbl} = \text{Neg } vbl$, $\overline{\text{Neg } vbl} = \text{Pos } vbl$.
- A formula F *contains a literal* l (i.e., a literal l occurs in a formula F), denoted by $l \in F$, iff $\exists c. c \in F \wedge l \in c$.
- The *set of variables that occur in a clause* c is denoted by $\text{vars } c$. The *set of variables that occur in a formula* F is denoted by $\text{vars } F$. The *set of variables that occur in a valuation* v is denoted by $\text{vars } v$.
- The *resolvent* of clauses c_1 and c_2 over the literal l , denoted *resolvent* $c_1 \ c_2 \ l$ is the clause $(c_1 \setminus l)@(c_2 \setminus \bar{l})$.
- A clause c is a *tautological clause*, denoted by *clauseTautology* c , if it contains both a literal and its opposite (i.e., $\exists l. l \in c \wedge \bar{l} \in c$).
- The *conversion of a valuation* v to a formula is the list $\langle v \rangle$ that contains all single literal clauses made of literals from v .

Definition 6 (Semantics).

- A literal l is *true in a valuation* v , denoted by $v \models l$, iff $l \in v$. A clause c is *true in a valuation* v , denoted by $v \models c$, iff $\exists l. l \in c \wedge v \models l$. A formula F is *true in a valuation* v , denoted by $v \models F$, iff $\forall c. c \in F \Rightarrow v \models c$.
- A literal l is *false in a valuation* v , denoted by $v \models \neg l$, iff $\bar{l} \in v$. A clause c is *false in a valuation* v , denoted by $v \models \neg c$, iff $\forall l. l \in c \Rightarrow v \models \neg l$. A formula F is *false in a valuation* v , denoted by $v \models \neg F$, iff $\exists c. c \in F \wedge v \models \neg c$.⁸
- $v \not\models l$ ($v \not\models c$ / $v \not\models F$) denotes that l (c / F) is not true in v (then we say that l (c / F) is *unsatisfied* in v). $v \not\models \neg l$ ($v \not\models \neg c$ / $v \not\models \neg F$) denotes that l (c / F) is not false in v (then we say that l (c / F) is *unfalsified* in v).

Definition 7 (Valuations and models).

- A valuation v is *inconsistent*, denoted by *inconsistent* v , iff it contains both a literal and its opposite i.e., iff $\exists l. v \models l \wedge v \models \bar{l}$. A valuation is *consistent*, denoted by (*consistent* v), iff it is not inconsistent.
- A valuation v is *total* with respect to a variable set Vbl , denoted by *total* $v \ Vbl$, iff $\text{vars } v \supseteq Vbl$.
- A *model* of a formula F is a consistent valuation under which F is true. A formula F is *satisfiable*, denoted by *sat* F , iff it has a model, i.e., $\exists v. \text{consistent } v \wedge v \models F$.
- A clause c is *unit* in a valuation v with a *unit literal* l , denoted by *isUnit* $c \ l \ v$ iff $l \in c, v \not\models l, v \not\models \neg l$ and $v \models \neg(c \setminus l)$ (i.e., $\forall l'. l' \in c \wedge l' \neq l \Rightarrow v \models \neg l'$).
- A clause c is a *reason for propagation* of literal l in valuation v , denoted by *isReason* $c \ l \ v$ iff $l \in c, v \models l, v \models \neg(c \setminus l)$, and for each literal $l' \in (c \setminus l)$, the literal \bar{l}' precedes l in v .

⁸Note that the symbol $\models \neg$ is atomic, i.e., $v \models \neg F$ does not correspond to $v \models (\neg F)$, although it would be the case if all propositional formulae (instead of CNF only) were considered.

Definition 8 (Entailment and logical equivalence).

- A formula F entails a clause c , denoted by $F \models c$, iff c is true in every model of F . A formula F entails a literal l , denoted by $F \models l$, iff l is true in every model of F . A formula F entails valuation v , denoted by $F \models v$, iff it entails all its literals i.e., $\forall l. l \in v \Rightarrow F \models l$. A formula F_1 entails a formula F_2 , denoted by $F_1 \models F_2$, if every model of F_1 is a model of F_2 .
- Formulae F_1 and F_2 are *logically equivalent*, denoted by $F_1 \equiv F_2$, iff any model of F_1 is a model of F_2 and vice versa, i.e., iff $F_1 \models F_2$ and $F_2 \models F_1$.

Definition 9 (Trails related).

- For a trail element a , `element` a denotes the first (Literal) component and `isDecision` a denotes the second (Boolean) component. For a trail M , `elements` M denotes the list of all its elements and `decisions` M denotes the list of all its marked elements (i.e., of all its decision literals).
- *The last decision literal*, denoted by `lastDecision` M , is the last marked element of the list M , i.e., `lastDecision` $M = \text{last}(\text{decisions } M)$.
- `decisionsTo` M l is the list of all marked elements from a trail M that precede the first occurrence of the element l , including l if it is marked, i.e., `decisionsTo` l $M = \text{decisions}(\text{prefixTo } l$ $M)$.
- The *current level* for a trail M , denoted by `currentLevel` M , is the number of marked literals in M , i.e., `currentLevel` $M = \text{length}(\text{decisions } M)$.
- The *decision level* of a literal l in a trail M , denoted by `level` l M , is the number of marked literals in the trail that precede the first occurrence of l , including l if it is marked, i.e., `level` l $M = \text{length}(\text{decisionsTo } M$ $l)$.
- `prefixToLevel` M $level$ is the prefix of a trail M containing all elements of M with levels less or equal to $level$.
- The *prefix before last decision*, denoted by `prefixBeforeLastDecision` M , is a prefix of the trail M before its last marked element (not including it),⁹
- The *last asserted literal of a clause* c , denoted by `lastAssertedLiteral` c M , is the literal from c that is in M , such that no other literal from c comes after it in M .
- The *maximal level of a literal in the clause* c with respect to a trail M , denoted by `maxLevel` c M , is the maximum of all levels of literals from c asserted in M .

Example 1. A trail M could be $[+1^i, -2^d, +6^i, +5^d, -3^i, +4^i, -7^d]$. The symbol $+$ is written instead of the constructor `Pos`, the symbol $-$ instead of `Neg`. `decisions` $M = [-2^d, +5^d, -7^d]$, `lastDecision` $M = -7$, `decisionsTo` M $+4 = [-2^d, +5^d]$, and `decisionsTo` M $-7 = [-2^d, +5^d, -7^d]$. `level` $+1$ $M = 0$, `level` $+4$ $M = 2$, `level` -7 $M = 3$, `currentLevel` $M = 3$, `prefixToLevel` M $1 = [+1^i, +2^d, +6^i]$. If c is $[+4, +6, -3]$, then `lastAssertedLiteral` c $M = +4$, and `maxLevel` c $M = 2$.

⁹Note that some of these functions are used only for some trails. For example, `prefixBeforeLastDecision` M makes sense only for trails that contain at least one decision literal. Nevertheless, these functions are still defined as total functions — for example, `prefixBeforeLastDecision` M equals M if there are no decision literals.

4. DPLL SEARCH

In this section we consider a basic transition system that contains only transition rules corresponding to steps used in the original DPLL procedure: unit propagation, backtracking, and making decisions for branching (described informally in Section 2.1; the pure literal step is usually not used within modern SAT solvers, so it will be omitted). These rules will be defined in the form of relations over states, in terms of the logic described in Section 3. It will be proved that the system containing these rules is terminating, sound and complete. The rules within the system are not ordered and the system is sound, terminating, and complete regardless of any specific ordering. However, it will be obvious that better performance is obtained if making decisions is maximally postponed, in the hope that it will not be necessary.

4.1. States and Rules. The state of the solver performing the basic DPLL search consists of the formula F being tested for satisfiability (that remains unchanged) and the trail M (that may change during the solver's operation). The only parameter to the solver is the set of variables $DecVars$ used for branching. By $Vars$ we will denote the set of all variables encountered during solving — these are the variables from the initial formula F_0 and the decision variables $DecVars$, i.e., $Vars = vars F_0 \cup DecVars$.

Definition 10 (State). A state of the system is a pair (M, F) , where M is a trail and F is a formula. A state $([], F_0)$ is an *initial state* for the input formula F_0 .

Transition rules are introduced by the following definition, in the form of relations over states.

Definition 11 (Transition rules).

$$\begin{aligned} \text{unitPropagate } (M_1, F_1) (M_2, F_2) & \text{ iff } \exists c l. \quad c \in F_1 \wedge \text{isUnit } c l M_1 \wedge \\ & \quad M_2 = M_1 @ l^i \wedge F_2 = F_1 \\ \text{backtrack } (M_1, F_1) (M_2, F_2) & \text{ iff } M_1 \models \neg F_1 \wedge \text{decisions } M_1 \neq [] \wedge \\ & \quad M_2 = \text{prefixBeforeLastDecision } M_1 @ \overline{\text{lastDecision } M_1^i} \wedge F_2 = F_1 \\ \text{decide } (M_1, F_1) (M_2, F_2) & \text{ iff } \exists l. \quad \text{var } l \in DecVars \wedge l \notin M_1 \wedge \bar{l} \notin M_1 \wedge \\ & \quad M_2 = M_1 @ l^d \wedge F_2 = F_1 \end{aligned}$$

As can be seen from the above definition (and in accordance with the description given in Section 2.1), the rule **unitPropagate** uses a *unit clause* — a clause with only one literal l undefined in M_1 and with all other literals false in M_1 . Such a clause can be true only if l is true, so this rule extends M_1 by l (as an implied literal). The rule **backtrack** is applied when F_1 is false in M_1 . Then it is said that a *conflict* occurred, and clauses from F_1 that are false in M_1 are called *conflict clauses*. In that case, the last decision literal l^d in M_1 and all literals that succeed it are removed from M_1 , and the obtained prefix is extended by \bar{l}^i as an implied literal. The rule **decide** extends the trail by an arbitrary literal l as a decision literal, such that the variable of l belongs to $DecVars$ and neither l nor \bar{l} occur in M_1 . In that case, we say there is a *branching* on l .

The transition system considered is described by the relation \rightarrow_d , introduced by the following definition.

Definition 12 (\rightarrow_d).

$$s_1 \rightarrow_d s_2 \text{ iff } \text{unitPropagate } s_1 s_2 \vee \text{backtrack } s_1 s_2 \vee \text{decide } s_1 s_2$$

Definition 13 (Outcome states). An outcome state is either an *accepting state* or a *rejecting state*.

A state is an *accepting state* if $M \not\models \neg F$ and there is no state (M', F') such that $\text{decide } (M, F) (M', F')$ (i.e., there is no literal such that $\text{var } l \in \text{DecVars}$, $l \notin M$, and $\bar{l} \notin M$).

A state is a *rejecting state* if $M \models \neg F$ and decisions $M = []$.

Note that the condition $M \not\models \neg F$ in the above definition can be replaced by the condition $M \models F$, but the former is used since its check can be more efficiently implemented.

Example 2. Let $F_0 = [[-1, +2], [-1, -3, +5, +7], [-1, -2, +5, -7], [-2, +3], [+2, +4], [-2, -5, +7], [-3, -6, -7], [-5, +6]]$. One possible \rightarrow_d trace is given below.

rule	M
	$[\]$
$\text{decide } (l = +1)$,	$[+1^d]$
$\text{unitPropagate } (c = [-1, +2], l = +2)$	$[+1^d, +2^i]$
$\text{unitPropagate } (c = [-2, +3], l = +3)$	$[+1^d, +2^i, +3^i]$
$\text{decide } (l = +4)$	$[+1^d, +2^i, +3^i, +4^d]$
$\text{decide } (l = +5)$	$[+1^d, +2^i, +3^i, +4^d, +5^d]$
$\text{unitPropagate } (c = [-5, +6], l = +6)$	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i]$
$\text{unitPropagate } (c = [-2, -5, +7], l = +7)$	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$
$\text{backtrack } (M \models \neg [-3, -6, -7])$	$[+1^d, +2^i, +3^i, +4^d, -5^i]$
$\text{unitPropagate } (c = [-1, -3, +5, +7], l = +7)$	$[+1^d, +2^i, +3^i, +4^d, -5^i, +7^i]$
$\text{backtrack } (M \models \neg [-1, -2, +5, -7])$	$[+1^d, +2^i, +3^i, -4^i]$
$\text{decide } (l = +5)$	$[+1^d, +2^i, +3^i, -4^i, +5^d]$
$\text{unitPropagate } (c = [-5, +6], l = +6)$	$[+1^d, +2^i, +3^i, -4^i, +5^d, +6^i]$
$\text{unitPropagate } (c = [-2, -5, +7], l = +7)$	$[+1^d, +2^i, +3^i, -4^i, +5^d, +6^i, +7^i]$
$\text{backtrack } (M \models \neg [-3, -6, -7])$	$[+1^d, +2^i, +3^i, -4^i, -5^i]$
$\text{unitPropagate } (c = [-1, -3, +5, +7], l = +7)$	$[+1^d, +2^i, +3^i, -4^i, -5^i, +7^i]$
$\text{backtrack } (M \models \neg [-1, -2, +5, -7])$	$[-1^i]$
$\text{decide } (l = +2)$	$[-1^i, +2^d]$
$\text{unitPropagate } (c = [-2, +3], l = +3)$	$[-1^i, +2^d, +3^i]$
$\text{decide } (l = +4)$	$[-1^i, +2^d, +3^i, +4^d]$
$\text{decide } (l = +5)$	$[-1^i, +2^d, +3^i, +4^d, +5^d]$
$\text{unitPropagate } (c = [-5, +6], l = +6)$	$[-1^i, +2^d, +3^i, +4^d, +5^d, +6^i]$
$\text{unitPropagate } (c = [-2, -5, +7], l = +7)$	$[-1^i, +2^d, +3^i, +4^d, +5^d, +6^i, +7^i]$
$\text{backtrack } M \models \neg [-3, -6, -7]$	$[-1^i, +2^d, +3^i, +4^d, -5^i]$
$\text{decide } (l = +6)$	$[-1^i, +2^d, +3^i, +4^d, -5^i, +6^d]$
$\text{unitPropagate } (c = [-3, -6, -7], l = -7)$	$[-1^i, +2^d, +3^i, +4^d, -5^i, +6^d, -7^i]$

4.2. Properties. In order to prove that the presented transition system is terminating, sound, and complete, first, local properties of the transition rules have to be given in the form of certain invariants.

4.2.1. *Invariants.* For proving properties of the described transition system, several relevant rule invariants will be used (not all of them are used for proving each of soundness, completeness, and termination, but we list them all here for the sake of simplicity).

$$\begin{aligned}
 \text{Inv}_{\text{consistent}}: & \quad \text{consistent } M \\
 \text{Inv}_{\text{distinct}}: & \quad \text{distinct } M \\
 \text{Inv}_{\text{vars}M}: & \quad \text{vars } M \subseteq \text{Vars} \\
 \text{Inv}_{\text{impliedLits}}: & \quad \forall l. l \in M \longrightarrow (F @ \text{decisionsTo } l \ M) \models l \\
 \text{Inv}_{\text{equiv}}: & \quad F \equiv F_0 \\
 \text{Inv}_{\text{vars}F}: & \quad \text{vars } F \subseteq \text{Vars}
 \end{aligned}$$

The condition $\text{Inv}_{\text{consistent}}$ states that the trail M can potentially be a model of the formula, and $\text{Inv}_{\text{distinct}}$ requires that it contains no repeating elements. The $\text{Inv}_{\text{impliedLits}}$ ensures that any literal l in M is entailed by F with all decision literals that precede l .

Notice that the given rules do not change formulae in states, so it trivially holds that $F = F_0$, which further implies $\text{Inv}_{\text{equiv}}$ and $\text{Inv}_{\text{vars}F}$. However, the transition systems that follow in the next sections may change formulae, so the above set of invariants is more appropriate. If only testing satisfiability is considered (and not in building models for satisfiable formulae), instead of $\text{Inv}_{\text{equiv}}$, it is sufficient to require that F and F_0 are weakly equivalent (i.e., equisatisfiable).

The above conditions are indeed invariants (i.e., they are met for each state during the application of the rules), as stated by the following lemma.

- Lemma 1.** (1) In the initial state $([], F_0)$ all the invariants hold.
 (2) If $(M, F) \rightarrow_d (M', F')$ and if the invariants are met in the state (M, F) , then they are met in the state (M', F') too.
 (3) If $([], F_0) \rightarrow_d^* (M, F)$, then all the invariants hold in the state (M, F) .

The proof of this lemma considers a number of cases — one for each rule-invariant pair.

4.2.2. *Soundness.* Soundness of the given transition system requires that if the system terminates in an accepting state, then the input formula is satisfiable, and if the system terminates in a rejecting state, then the input formula is unsatisfiable.

The following lemma ensures soundness for satisfiable input formulae, and the next one is used for proving soundness for unsatisfiable input formulae (but also in some other contexts).

Lemma 2. If $\text{DecVars} \supseteq \text{vars } F_0$ and if there is an accepting state (M, F) such that:

- (1) $\text{consistent } M$ (i.e., $\text{Inv}_{\text{consistent}}$ holds),
- (2) $F \equiv F_0$ (i.e., $\text{Inv}_{\text{equiv}}$ holds),
- (3) $\text{vars } F \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}F}$ holds),

then the formula F_0 is satisfiable and M is one model (i.e., $\text{model } M \ F_0$).

Lemma 3. If there is a state (M, F) such that:

- (1) $\forall l. l \in M \longrightarrow (F @ \text{decisionsTo } l \ M) \models l$ (i.e., $\text{Inv}_{\text{impliedLits}}$ holds),
- (2) $M \models \neg F$

then $\neg(\text{sat } (F @ \text{decisions } M))$.

Theorem 1 (Soundness for \rightarrow_d). If $([], F_0) \rightarrow_d^* (M, F)$, then:

- (1) If $DecVars \supseteq vars F_0$ and (M, F) is an accepting state, then the formula F_0 satisfiable and M is one model (i.e., $\text{sat } F_0$ and $\text{model } M F_0$).
- (2) If (M, F) is a rejecting state, then the formula F_0 is unsatisfiable (i.e., $\neg(\text{sat } F_0)$).

Proof. By Lemma 1 all the invariants hold in the state (M, F) .

Let us assume that $DecVars \supseteq vars F_0$ and (M, F) is an accepting state. Then, by Lemma 2, the formula is F_0 satisfiable and M is one model.

Let us assume that (M, F) is a rejecting state. Then $M \models \neg F$ and, by Lemma 3, $\neg(\text{sat } (F @ (\text{decisions } M)))$. Since (M, F) is a rejecting state, it holds that $\text{decisions } M = []$, and hence $\neg(\text{sat } F)$. From $F \equiv F_0$ (*Invequiv*), it follows that $\neg(\text{sat } F_0)$, i.e., the formula F_0 is unsatisfiable. \square

4.2.3. Termination. Full and precise formalization of termination is very demanding, and termination proofs given in the literature (e.g., [KG07, NOT06]) are far from detailed formal proofs. For this reason, termination proofs will be presented here in more details, including auxiliary lemmas used to prove the termination theorem.

The described transition system terminates, i.e., for any input formulae F_0 , the system (starting from the initial state $([], F_0)$) will reach a final state in a finite number of steps. In other words, the relation \rightarrow_d is well-founded. This can be proved by constructing a well-founded partial ordering \succ over trails, such that $(M_1, F_1) \rightarrow_d (M_2, F_2)$ implies $M_1 \succ M_2$. In order to reach this goal, several auxiliary orderings are defined.

First, a partial ordering over annotated literals \succ_{lit} and a partial ordering over trails \succ_{tr} will be introduced and some of their properties will be given within the following lemmas.

Definition 14 (\succ_{lit}). $l_1 \succ_{\text{lit}} l_2$ iff $\text{isDecision } l_1 \wedge \neg(\text{isDecision } l_2)$

Lemma 4. \succ_{lit} is transitive and irreflexive.

Definition 15 (\succ_{tr}). $M_1 \succ_{\text{tr}} M_2$ iff $M_1 \succ_{\text{lit}}^{\text{lex}} M_2$, where $\succ_{\text{lit}}^{\text{lex}}$ is a lexicographic extension of \succ_{lit} .

Lemma 5. \succ_{tr} is transitive, irreflexive, and acyclic (i.e., there is no trail M such that $M \succ_{\text{tr}}^+ M$).

For any three trails M , M' , and M'' it holds that: if $M' \succ_{\text{tr}} M''$, then $M @ M' \succ_{\text{tr}} M @ M''$.

The next lemma links relations \rightarrow_d and \succ_{tr} .

Lemma 6. If $\text{decide } (M_1, F_1) (M_2, F_2)$ or $\text{unitPropagate } (M_1, F_1) (M_2, F_2)$ or $\text{backtrack } (M_1, F_1) (M_2, F_2)$, then $M_1 \succ_{\text{tr}} M_2$.

The relation \succ_{tr} is not necessarily well-founded (for the elements of the trails range over infinite sets), so a restriction $\succ_{\text{tr}|Vbl}$ of the relation \succ_{tr} will be defined such that it is well-founded, which will lead to the termination proof for the system.

Definition 16 ($\succ_{\text{tr}|Vbl}$). $M_1 \succ_{\text{tr}|Vbl} M_2$ iff $(\text{distinct } M_1 \wedge \text{vars } M_1 \subseteq Vbl) \wedge (\text{distinct } M_2 \wedge \text{vars } M_2 \subseteq Vbl) \wedge M_1 \succ_{\text{tr}} M_2$

Lemma 7. If the set Vbl is finite, then the relation $\succ_{\text{tr}|Vbl}$ is a well-founded ordering.

Finally, we prove that the transition system is terminating.

Theorem 2 (Termination for \rightarrow_d). If the set $DecVars$ is finite, for any formula F_0 , the relation \rightarrow_d is well-founded on the set of states (M, F) such that $([], F_0) \rightarrow_d^* (M, F)$.

Proof. By Proposition 1 it suffices to construct a well-founded ordering on the set of states (M, F) such that $([], F_0) \rightarrow_d^* (M, F)$ such that

$$(M_1, F_1) \rightarrow_d (M_2, F_2) \longrightarrow (M_1, F_1) \succ (M_2, F_2).$$

One such ordering is \succ defined by: $(M_1, F_1) \succ (M_2, F_2)$ iff $M_1 \succ_{tr|Vars} M_2$.

Indeed, since by Lemma 7, $\succ_{tr|Vars}$ is well-founded, by Proposition 1 (for a function mapping (M, F) to M), \succ is also a well-founded ordering.

Let (M_1, F_1) and (M_2, F_2) be two states such that $([], F_0) \rightarrow_d^* (M_1, F_1)$ and $(M_1, F_1) \rightarrow_d (M_2, F_2)$. By Lemma 1 all the invariants hold for (M_1, F_1) . From $(M_1, F_1) \rightarrow_d (M_2, F_2)$, by Lemma 6, it follows that $M_1 \succ_{tr} M_2$. Moreover, by Lemma 1, all the invariants hold also for (M_2, F_2) , so distinct M_1 , $\text{vars } M_1 \subseteq Vars$, distinct M_2 and $\text{vars } M_2 \subseteq Vars$. Ultimately, $M_1 \succ_{tr|Vars} M_2$. \square

4.2.4. *Completeness.* Completeness requires that all final states are outcome states.

Theorem 3 (Completeness for \rightarrow_d). Each final state is either accepting or rejecting.

Proof. Let (M, F) be a final state. It holds that either $M \models \neg F$ or $M \not\models \neg F$.

If $M \not\models \neg F$, since there is no state (M', F') such that $\text{decide } (M, F) (M', F')$ (as (M, F) is a final state), there is no literal l such that $\text{var } l \in DecVars$, $l \notin M$, and $\bar{l} \notin M$, so (M, F) is an accepting state.

If $M \models \neg F$, since there is no state (M', F') such that $\text{backtrack } (M, F) (M', F')$ (as (M, F) is a final state), it holds that $\text{decisions } M = []$, so (M, F) is a rejecting state. \square

Notice that from the proof it is clear that the basic search system consisting only of the rules **decide** and **backtrack** is complete.

4.2.5. *Correctness.* The theorems 1, 2, and 3 directly lead to the theorem about correctness of the introduced transition system.¹⁰

Theorem 4 (Correctness for \rightarrow_d). The given transition system is correct, i.e., if all variables of the input formula belong to the set $DecVars$, then for any satisfiable input formula, the system terminates in an accepting state, and for any unsatisfiable formula, the system terminates in a rejecting state.

5. BACKJUMPING

In this section, we consider a transition system that replaces naive chronological backtracking by more advanced nonchronological backjumping.

¹⁰Correctness of the system can be proved with a weaker condition. Namely, instead of the condition that all variables of the input formula belong to the set $DecVars$, it is sufficient that all *strong backdoor* variables belong to $DecVars$ [BHMW09], but that weaker condition is not considered here.

5.1. States and Rules. The rules of the new system are given (as in Section 4) in the form of relations over states.

Definition 17 (Transition rules).

unitPropagate $(M_1, F_1) (M_2, F_2)$ iff

$$\begin{aligned} \exists c l. \quad & F_1 \models c \wedge \text{var } l \in \text{Vars} \wedge \text{isUnit } c l M_1 \wedge \\ & M_2 = M_1 @ l^i \wedge F_2 = F_1 \end{aligned}$$

backjump $(M_1, F_1) (M_2, F_2)$ iff

$$\begin{aligned} \exists c l P \text{ level}. \quad & F_1 \models c \wedge \text{var } l \in \text{Vars} \wedge \\ & P = \text{prefixToLevel } \text{level } M \wedge 0 \leq \text{level} < \text{currentLevel } M \wedge \\ & \text{isUnit } c l P \wedge \\ & F_2 = F_1 \wedge M_2 = P @ l^i \end{aligned}$$

$$\begin{aligned} \text{decide } (M_1, F_1) (M_2, F_2) \quad \text{iff} \quad \exists l. \quad & \text{var } l \in \text{DecVars} \wedge l \notin M_1 \wedge \bar{l} \notin M_1 \wedge \\ & M_2 = M_1 @ l^d \wedge F_2 = F_1 \end{aligned}$$

In the following, the transition system described by the relation \rightarrow_b defined by these rules will be considered.

The key difference between the new transition system and one built over the rules given in Definition 11 is the rule **backjump** (that replaces the rule **backtrack**). The rule **decide** is the same as the one given in Definition 11, while the rule **unitPropagate** is slightly modified (i.e., its guard is relaxed).

The clause c in the **backjump** rule is called a *backjump clause* and the level level is called a *backjump level*. The given definition of the **backjump** rule is very general — it does not specify how the backjump clause c is constructed and what prefix P (i.e., the level level) is chosen if there are several options. There are different strategies that specify these choices and they are required for concrete implementations. The conditions that P is a prefix to a level (i.e., that P is followed by a decision literal in M_1) and that this level is smaller than the current level are important only for termination. Soundness can be proved even with a weaker assumption that P is an arbitrary prefix of M_1 . However, usually the shortest possible prefix P is taken. The **backtrack** rule can be seen as a special case of the **backjump** rule. In that special case, the clause c is built of opposites of all decision literals in the trail and P becomes **prefixBeforeLastDecision** M_1 .

Notice that the backjump clause c does not necessarily belong to F_1 but can be an arbitrary logical consequence of it. So, instead of $c \in F_1$, weaker conditions $F_1 \models c$ and $\text{var } l \in \text{Vars}$ are used in the **backjump** rule (the latter condition is important only for termination). This weaker condition (inspired by the use of SAT engines in SMT solvers) can be used also for the **unitPropagate** rule and leads from the rule given in Definition 11, to its present version (this change is not relevant for the system correctness). The new version of **unitPropagate** has much similarities with the **backjump** rule — the only difference is that the **backjump** rule always asserts the implied literal to a proper prefix of the trail.

Example 3. Let F_0 be the same formula as in Example 2. One possible \rightarrow_b trace is given below. Note that, unlike in the trace shown in Example 2, the decision literal $+4$ is removed from the trail during backjumping, since it was detected to be irrelevant for the conflict, resulting in a shorter trace. The deduction of backjump clauses (e.g., $[-2, -3, -5]$) will be presented in Example 5.

rule	M
	$[\]$
decide ($l = +1$),	$[+1^d]$
unitPropagate ($c = [-1, +2]$, $l = +2$)	$[+1^d, +2^i]$
unitPropagate ($c = [-2, +3]$, $l = +3$)	$[+1^d, +2^i, +3^i]$
decide ($l = +4$)	$[+1^d, +2^i, +3^i, +4^d]$
decide ($l = +5$)	$[+1^d, +2^i, +3^i, +4^d, +5^d]$
unitPropagate ($c = [-5, +6]$, $l = +6$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i]$
unitPropagate ($c = [-2, -5, +7]$, $l = +7$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$
backjump ($c = [-2, -3, -5]$, $l = -5$)	$[+1^d, +2^i, +3^i, -5^i]$
unitPropagate ($c = [-1, -3, +5, +7]$, $l = +7$)	$[+1^d, +2^i, +3^i, -5^i, +7^i]$
backjump ($c = [-1]$, $l = -1$)	$[-1^i]$
decide ($l = +2$)	$[-1^i, +2^d]$
unitPropagate ($c = [-2, +3]$, $l = +3$)	$[-1^i, +2^d, +3^i]$
decide ($l = +4$)	$[-1^i, +2^d, +3^i, +4^d]$
decide ($l = +5$)	$[-1^i, +2^d, +3^i, +4^d, +5^d]$
unitPropagate ($c = [-5, +6]$, $l = +6$)	$[-1^i, +2^d, +3^i, +4^d, +5^d, +6^i]$
unitPropagate ($c = [-2, -5, +7]$, $l = +7$)	$[-1^i, +2^d, +3^i, +4^d, +5^d, +6^i, +7^i]$
backjump ($c = [-2, -3, -5]$)	$[-1^i, +2^d, +3^i, -5^i]$
decide ($l = +4$)	$[-1^i, +2^d, +3^i, -5^i, +4^d]$
decide ($l = +6$)	$[-1^i, +2^d, +3^i, -5^i, +4^d, +6^d]$
unitPropagate ($c = [-3, -6, -7]$, $l = -7$)	$[-1^i, +2^d, +3^i, -5^i, +4^d, +6^d, -7^i]$

5.2. Backjump Levels. In Definition 17, for the **backjump** rule to be applicable, it is required that there is a level of the trail such that the backjump clause is unit in the prefix to that level. The following definition gives a stronger condition (used in modern SAT solvers) for a level ensuring applicability of the **backjump** rule to that level.

Definition 18 (Backjump level). A *backjump level* for the given backjump clause c (false in M) is a level $level$ that is strictly less than the level of the last falsified literal from c , and greater or equal to the levels of the remaining literals from c :

$$\begin{aligned} \text{isBackjumpLevel } level \ l \ c \ M \quad \text{iff} \quad & M \models \neg c \wedge \bar{l} = \text{lastAssertedLiteral } \bar{c} \ M \wedge \\ & 0 \leq level < \text{level } \bar{l} \ M \wedge \\ & \forall l'. l' \in c \setminus l \longrightarrow \text{level } \bar{l}' \ M \leq level \end{aligned}$$

Using this definition, the **backjump** rule can be defined in a more concrete and more operational way.

$$\begin{aligned} \text{backjump}' (M_1, F_1) (M_2, F_2) \quad \text{iff} \quad & \exists c \ l \ level. F_1 \models c \wedge \text{var } l \in \text{Vars} \wedge \\ & \text{isBackjumpLevel } level \ l \ c \ M_1 \wedge \\ & M_2 = (\text{prefixToLevel } level \ M_1) @ l^i \wedge F_2 = F_1 \end{aligned}$$

Notice that, unlike in Definition 17, it is required that the backjump clause is false, so this new rule is applicable only in conflict situations.

It still remains unspecified how the clause c is constructed. Also, it is required to check whether the clause c is false in the current trail M and implied by the current formula F . In

Section 7 it will be shown that if a clause c is built during a conflict analysis process, these conditions will hold by construction and so it will not be necessary to check them explicitly. Calculating the level of each literal from c (required for the backjump level condition) will also be avoided.

The following lemmas connect the **backjump** and **backjump'** rules.

Lemma 8. If:

- (1) consistent M (i.e., $Inv_{consistent}$ holds),
 - (2) unique M (i.e., Inv_{unique} holds),
 - (3) $isBackjumpLevel\ level\ l\ c\ M$,
- then $isUnit\ c\ l$ ($prefixToLevel\ level\ M$).

Lemma 9. If a state (M, F) satisfies the invariants and if $backjump'$ $(M, F) (M', F')$, then $backjump$ $(M, F) (M', F')$.

Because of the very close connection between the relations **backjump** and **backjump'**, we will not explicitly define two different transition relations \rightarrow_b . Most of the correctness arguments apply to both these relations, and hence only differences will be emphasized.

Although there are typically many levels satisfying the backjump level condition, (i.e., backjumping can be applied for each level between the level of the last falsified literal from c and the levels of the remaining literals from c), usually it is applied to the lowest possible level, i.e., to the level that is a backjump level such that there is no smaller level that is also a backjump level. The following definition introduces formally the notion of a minimal backjump level.

Definition 19 ($isMinimalBackjumpLevel$). $isMinimalBackjumpLevel\ level\ l\ c\ M$ iff

$$isBackjumpLevel\ level\ l\ c\ M \wedge (\forall\ level' < level. \neg isBackjumpLevel\ level'\ l\ c\ M)$$

Although most solvers use minimal levels when backjumping, this will be formally required only for systems introduced in Section 8.

5.3. Properties. As in Section 4, local properties of the transition rules in the form of certain invariants are used in proving properties of the transition system.

5.3.1. Invariants. The invariants required for proving soundness, termination, and completeness of the new system are the same as the invariants listed in Section 4. So, it is required to prove that the rules **backjump** and the modified **unitPropagate** preserve all the invariants. Therefore, Lemma 1 has to be updated to address new rules and its proof has to be modified to reflect the changes in the definition of the transition relation.

5.3.2. Soundness and Termination. The soundness theorem (Theorem 1) has to be updated to address the new rules, but its proof remains analogous to the one given in Section 4.

The termination theorem (Theorem 2) also has to be updated, and its proof again remains analogous to the one given in 4. However, in addition to Lemma 6, the following lemma has to be used.

Lemma 10. If $backjump$ $(M_1, F_1) (M_2, F_2)$, then $M_1 \succ_{tr} M_2$.

This proof relies on the following property of the relation \succ_{tr} .

Lemma 11. If M is a trail and $P = \text{prefixToLevel } level \ M$, such that $0 \leq level < \text{currentLevel } M$, then $M \succ_{\text{tr}} P @ l^i$.

5.3.3. *Completeness and Correctness.* Completeness of the system is proved partly in analogy with the completeness proof of the system described in Section 4, given in Theorem 3. When (M, F) is a final state and $M \not\models \neg F$, the proof remains the same as for Theorem 3. When (M, F) is a final state and $M \models \neg F$, for the new system it is not trivial that this state is a rejecting state (i.e., it is not trivial that $\text{decisions } M = []$). Therefore, it has to be proved, given that the invariants hold, that if backjumping is not applicable in a conflict situation (when $M \models \neg F$), then $\text{decisions } M = []$ (i.e., if $\text{decisions } M \neq []$, then $\text{backjump}'$ is applicable, and so is backjump). The proof relies on the fact that a backjump clause *may be* constructed only of all decision literals. This is the simplest way to construct a backjump clause c and in this case backjumping degenerates to backtracking. The clause c constructed in this way meets sufficient (but, of course, not necessary) conditions for the applicability of $\text{backjump}'$ (and, consequently, by Lemma 9, for the applicability of backjump).

Lemma 12. If for a state (M, F) it holds that:

- (1) consistent M (i.e., $Inv_{\text{consistent}}$ holds),
- (2) unique M (i.e., Inv_{unique} holds),
- (3) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l \ M) \models l$ (i.e., $Inv_{\text{impliedLits}}$ holds),
- (4) $\text{vars } M \subseteq \text{Vars}$ (i.e., $Inv_{\text{vars}M}$ holds),
- (5) $M \models \neg F$,
- (6) $\text{decisions } M \neq []$,

then there is a state (M', F') such that $\text{backjump}'(M, F) (M', F')$.

To ensure applicability of Lemma 12, the new version of the completeness theorem (Theorem 3) requires that the invariants hold in the current state. Since, by Lemma 9, $\text{backjump}'(M, F) (M', F')$ implies $\text{backjump}(M, F) (M', F')$, the following completeness theorem holds for both transition systems presented in this section (using the rule $\text{backjump}'$ or the rule backjump).

Theorem 3 (Completeness for \rightarrow_b). If $([], F_0) \rightarrow_b^* (M, F)$, and (M, F) is a final state, then (M, F) is either accepting or rejecting.

Proof. Let (M, F) be a final state. By Lemma 1, all invariants hold in (M, F) . Also, it holds that either $M \models \neg F$ or $M \not\models \neg F$.

If $M \not\models \neg F$, since decide is not applicable, (M, F) is an accepting state.

If $M \models \neg F$, assume that $\text{decisions } M \neq []$. By Lemma 12, there is a state (M', F') such that $\text{backjump}'(M, F) (M', F')$. This contradicts the assumption that (M, F) is a final state. Therefore, $\text{decisions } M = []$, and since $M \models \neg F$, (M, F) is a rejecting state. \square

Correctness of the system is a consequence of soundness, termination, and completeness, in analogy with Theorem 4.

6. LEARNING AND FORGETTING

In this section we briefly describe a system obtained from the system introduced in Section 5 by adding two new transition rules. These rules will have a significant role in more complex systems discussed in the following sections.

6.1. States and Rules. The relation \rightarrow_b introduced in Section 5 is extended by the two following transition rules (introduced in the form of relations over states).

Definition 20 (Transition rules).

$$\text{learn } (M_1, F_1) (M_2, F_2) \quad \text{iff} \quad \exists c. \quad F_1 \models c \wedge \text{vars } c \subseteq \text{Vars} \wedge \\ F_2 = F_1 @ c \wedge M_2 = M_1$$

$$\text{forget } (M_1, F_1) (M_2, F_2) \quad \text{iff} \quad \exists c. \quad F_1 \setminus c \models c \wedge \\ F_2 = F_1 \setminus c \wedge M_2 = M_1$$

The extended transition system will be denoted by \rightarrow_l .

The **learn** rule is defined very generally. It is not specified how to construct the clause c — typically, only clauses resulting from the conflict analysis process (Section 7) are learnt. This is the only rule so far that changes F , but the condition $F \models c$ ensures that it always remains logically equivalent to the initial formula F_0 . The condition $\text{vars } c \subseteq \text{Vars}$ is relevant only for ensuring termination.

The **forget** rule changes the formula by removing a clause that is implied by all other clauses (i.e., is redundant). It is also not specified how this clause c is chosen.

Example 4. Let F_0 be a formula from Example 2. A possible \rightarrow_l trace is given by (note that, unlike in the trace shown in Example 3, a clause $[-1, -2, -3]$ is learnt and used afterwards for unit propagation in another part of the search tree, eventually leading to a shorter trace):

rule	M	F
	$[\]$	F_0
decide ($l = +1$),	$[+1^d]$	F_0
unitPropagate ($c = [-1, +2]$, $l = +2$)	$[+1^d, +2^i]$	F_0
unitPropagate ($c = [-2, +3]$, $l = +3$)	$[+1^d, +2^i, +3^i]$	F_0
decide ($l = +4$)	$[+1^d, +2^i, +3^i, +4^d]$	F_0
decide ($l = +5$)	$[+1^d, +2^i, +3^i, +4^d, +5^d]$	F_0
unitPropagate ($c = [-5, +6]$, $l = +6$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i]$	F_0
unitPropagate ($c = [-2, -5, +7]$, $l = +7$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$	F_0
backjump ($c = [-2, -3, -5]$, $l = -5$)	$[+1^d, +2^i, +3^i, -5^i]$	F_0
learn ($c = [-2, -3, -5]$)	$[+1^d, +2^i, +3^i, -5^i]$	$F_0 @ [-2, -3, -5]$
unitPropagate ($c = [-1, -3, +5, +7]$, $l = +7$)	$[+1^d, +2^i, +3^i, -5^i, +7^i]$	$F_0 @ [-2, -3, -5]$
backjump ($c = [-1]$, $l = -1$)	$[-1^i]$	$F_0 @ [-2, -3, -5]$
decide ($l = +2$)	$[-1^i, +2^d]$	$F_0 @ [-2, -3, -5]$
unitPropagate ($c = [-2, +3]$, $l = +3$)	$[-1^i, +2^d, +3^i]$	$F_0 @ [-2, -3, -5]$
unitPropagate ($c = [-2, -3, -5]$, $l = -5$)	$[-1^i, +2^d, +3^i, -5^i]$	$F_0 @ [-2, -3, -5]$
decide ($l = +4$)	$[-1^i, +2^d, +3^i, -5^i, +4^d]$	$F_0 @ [-2, -3, -5]$
decide ($l = +6$)	$[-1^i, +2^d, +3^i, -5^i, +4^d, +6^d]$	$F_0 @ [-2, -3, -5]$
unitPropagate ($c = [-3, -6, -7]$, $l = -7$)	$[-1^i, +2^d, +3^i, -5^i, +4^d, +6^d, -7^i]$	$F_0 @ [-2, -3, -5]$

6.2. Properties. The new set of rules preserves all the invariants given in Section 4.2.1. Indeed, since **learn** and **forget** do not change the trail M , all invariants about the trail itself are trivially preserved by these rules. It can be proved that Inv_{equiv} , Inv_{varsF} and $Inv_{impliedLiterals}$ also hold for the new rules.

Since the invariants are preserved in the new system, soundness is proved as in Theorem 1. Completeness trivially holds, since introducing new rules to a complete system cannot compromise its completeness. However, the extended system is not terminating since the

learn and forget rules can be cyclically applied. Termination could be ensured with some additional restrictions. Specific learning, forgetting and backjumping strategies that ensure termination will be defined and discussed in Sections 7 and 8.

7. CONFLICT ANALYSIS

The backjumping rules, as defined in Section 5, are very general. If backjump clauses faithfully reflect the current conflict, they typically lead to significant pruning of the search space. In this section we will consider a transition system that employs conflict analysis in order to construct backjump clauses, which can be (in addition) immediately learned (by the rule learn).

7.1. States and Rules. The system with conflict analysis requires extending the definition of state introduced in Section 4.

Definition 10'. A state of the system is a four-tuple $(M, F, C, cfct)$, where M is a trail, F is a formula, C is a clause, and $cfct$ is a Boolean variable. A state $([], F_0, [], \perp)$ is an *initial state* for the input formula F_0 .

Two new transition rules **conflict** and **explain** are defined in the form of relations over states. In addition, the existing rules are updated to map four-tuple states to four-tuple states.

Definition 21 (Transition rules).

decide $(M_1, F_1, C_1, cfct_1) (M_2, F_2, C_2, cfct_2)$ iff

$$\begin{aligned} \exists l. \quad & \text{var } l \in \text{DecVars} \wedge l \notin M_1 \wedge \bar{l} \notin M_1 \wedge \\ & M_2 = M_1 @ l^d \wedge F_2 = F_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \end{aligned}$$

unitPropagate $(M_1, F_1, C_1, cfct_1) (M_2, F_2, C_2, cfct_2)$ iff

$$\begin{aligned} \exists c l. \quad & F_1 \models c \wedge \text{var } l \in \text{vars } C_1 \wedge \text{isUnit } c l M_1 \wedge \\ & M_2 = M_1 @ l^i \wedge F_2 = F_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \end{aligned}$$

conflict $(M_1, F_1, C_1, cfct_1) (M_2, F_2, C_2, cfct_2)$ iff

$$\begin{aligned} \exists c. \quad & cfct_1 = \perp \wedge F_1 \models c \wedge M_1 \models \neg c \wedge \\ & M_2 = M_1 \wedge F_2 = F_1 \wedge C_2 = c \wedge cfct_2 = \top \end{aligned}$$

explain $(M_1, F_1, C_1, cfct_1) (M_2, F_2, C_2, cfct_2)$ iff

$$\begin{aligned} \exists l c. \quad & cfct_1 = \top \wedge l \in C_1 \wedge \text{isReason } c \bar{l} M_1 \wedge F_1 \models c \wedge \\ & M_2 = M_1 \wedge F_2 = F_1 \wedge C_2 = \text{resolve } C_1 c l \wedge cfct_2 = \top \end{aligned}$$

backjump $(M_1, F_1, C_1, cfct_1) (M_2, F_2, C_2, cfct_2)$ iff

$$\begin{aligned} \exists l \text{ level}. \quad & cfct_1 = \top \wedge \text{isBackjumpLevel } \text{level } l C_1 M_1 \wedge \\ & M_2 = (\text{prefixToLevel } \text{level } M_1) @ l^i \wedge F_2 = F_1 \wedge \\ & C_2 = [] \wedge cfct_2 = \perp \end{aligned}$$

learn $(M_1, F_1, C_1, cfct_1) (M_2, F_2, C_2, cfct_2)$ iff

$$\begin{aligned} & cfct_1 = \top \wedge C_1 \notin F_1 \\ & M_2 = M_1 \wedge F_2 = F_1 @ C_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \end{aligned}$$

The relation \rightarrow_c is defined as in Definition 12, but using the above list of rules. The definition of outcome states also has to be updated.

Definition 22 (Outcome states). A state is an *accepting state* if $cflct = \perp$, $M \not\models \neg F$ and there is no literal such that $\text{var } l \in \text{DecVars}$, $l \notin M$ and $\bar{l} \notin M$.

A state is a *rejecting state* if $cflct = \top$ and $C = []$.

Example 5. Let F_0 be a formula from Example 2. A possible \rightarrow_c trace (shown up to the first application of **backjump**) is given (due to the lack of space, the F component of the state is not shown).

rule	M	$cflct$	C
	$[]$	\perp	$[]$
decide ($l = +1$),	$[+1^d]$	\perp	$[]$
unitPropagate ($c = [-1, +2]$, $l = +2$)	$[+1^d, +2^i]$	\perp	$[]$
unitPropagate ($c = [-2, +3]$, $l = +3$)	$[+1^d, +2^i, +3^i]$	\perp	$[]$
decide ($l = +4$)	$[+1^d, +2^i, +3^i, +4^d]$	\perp	$[]$
decide ($l = +5$)	$[+1^d, +2^i, +3^i, +4^d, +5^d]$	\perp	$[]$
unitPropagate ($c = [-5, +6]$, $l = +6$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i]$	\perp	$[]$
unitPropagate ($c = [-2, -5, +7]$, $l = +7$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$	\perp	$[]$
conflict ($c = [-3, -6, -7]$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$	\top	$[-3, -6, -7]$
explain ($l = -7$, $c = [-2, -5, +7]$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$	\top	$[-2, -3, -5, -6]$
explain ($l = -6$, $c = [-5, +6]$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$	\top	$[-2, -3, -5]$
learn ($c = [-2, -3, -5]$)	$[+1^d, +2^i, +3^i, +4^d, +5^d, +6^i, +7^i]$	\top	$[-2, -3, -5]$
backjump ($c = [-2, -3, -5]$, $l = -5$)	$[+1^d, +2^i, +3^i, -5^i]$	\perp	$[]$

7.2. Unique Implication Points (UIP). SAT solvers employ different strategies for conflict analysis. The most widely used is a *1-UIP* strategy, relying on a concept of *unique implication points (UIP)* (often expressed in terms of implication graphs [MSS99]). Informally, a clause c , false in the trail M , satisfies the UIP condition if there is exactly one literal in c that is on the highest decision level of M . The UIP condition is very easy to check. The *1-UIP* strategy requires that the rule **explain** is always applied to the last literal false in M among literals from c , and that backjumping is applied as soon as c satisfies the UIP condition.

Definition 23 (Unique implication point). A clause c that is false in M has a *unique implication point*, denoted by $\text{isUIP } l \ c \ M$, if the level of the last literal l from c that is false in M is strictly greater than the level of the remaining literals from c that are false in M :

$$\text{isUIP } l \ c \ M \quad \text{iff} \quad M \models \neg c \wedge \bar{l} = \text{lastAssertedLiteral } \bar{c} \ M \wedge \\ \forall l'. l' \in c \setminus l \longrightarrow \text{level } \bar{l}' \ M < \text{level } \bar{l} \ M$$

The following lemma shows that, if there are decision literals in M , if a clause has a unique implication point, then there is a corresponding backjump level, and consequently, the **backjump** rule is applicable.

Lemma 13. If $\text{unique } M$ (i.e., $\text{Inv}_{\text{unique}}$ holds), then

$$\text{isUIP } l \ c \ M \wedge \text{level } \bar{l} \ M > 0 \text{ iff } \exists \text{level}. \text{isBackjumpLevel } \text{level } l \ c \ M$$

Therefore, the guard $\text{isBackjumpLevel } \text{level } l \ c \ M$ in the definition of the **backjump** rule can be replaced by the stronger conditions $\text{isUIP } l \ c \ M$ and $\text{level } \bar{l} \ M > 0$. In that case, the backjump level level has to be explicitly calculated (as in the proof of the previous lemma).

The UIP condition is trivially satisfied when the clause c consists only of opposites of decision literals from the trail (a similar construction of c was already used in the proof of Lemma 12).

Lemma 14. If it holds that:

- (1) unique M (i.e., Inv_{unique} holds),
- (2) $\bar{c} \subseteq \text{decisions } M$,
- (3) $\bar{l} = \text{lastAssertedLiteral } \bar{c} M$,

then $\text{isUIP } l c M$.

7.3. Properties. Properties of the new transition system will be again proved using invariants introduced in Section 4, but they have to be updated to reflect the new definition of states. In addition, three new invariants will be used.

7.3.1. Invariants. In addition to the invariants from Section 4, three new invariants are used.

$$Inv_{Cfalse}: \quad cflct \longrightarrow M \models \neg C$$

$$Inv_{Centailed}: \quad cflct \longrightarrow F \models C$$

$$Inv_{reasonClauses}: \quad \forall l. l \in M \wedge l \notin \text{decisions } M \longrightarrow \exists c. \text{isReason } c l M \wedge F \models c$$

The first two invariants ensure that during the conflict analysis process, the conflict analysis clause C is a consequence of F and that C is false in M . The third invariant ensures existence of clauses that are reasons of literal propagation (these clauses enable application of the **explain** rule). By the rules **unitPropagate** and **backjump** literals are added to M only as implied literals and in both cases propagation is performed using a clause that is a reason for propagation, so this clause can be associated to the implied literal, and afterwards used as its reason.

Lemma 1 again has to be updated to address new rules and its proof has to be modified to reflect the changes in the definition of the relation \rightarrow_c .

7.3.2. Soundness. Although the soundness proof for unsatisfiable formulae could be again based on Lemma 3, this time it will be proved in an alternative, simpler way (that does not rely on the invariant $Inv_{impliedLits}$), that was not possible in previous sections.

Lemma 15. If there is a rejecting state $(M, F, C, cflct)$ such that it holds

- (1) $F \equiv F_0$, (i.e., Inv_{equiv} holds)
- (2) $cflct \longrightarrow F \models C$ (i.e., $Inv_{Centailed}$ holds),

then F_0 is unsatisfiable (i.e., $\neg(\text{sat } F_0)$).

Theorem 1 (Soundness for \rightarrow_c). If $([], F_0, [], \perp) \rightarrow_c^* (M, F, C, cflct)$, then:

- (1) If $DecVars \supseteq \text{vars } F_0$ and (M, F) is an accepting state, then the formula is F_0 satisfiable and M is its model (i.e., $\text{sat } F_0$ and $\text{model } M F_0$).
- (2) If $(M, F, C, cflct)$ is a rejecting state, then the formula F_0 is unsatisfiable (i.e., $\neg(\text{sat } F_0)$).

Proof. By Lemma 1, all the invariants hold in the state $(M, F, C, cflct)$.

- (1) All conditions of Lemma 2 are met (adapted to the new definition of state), so $\text{sat } F_0$ and $\text{model } M F_0$.
- (2) All conditions of Lemma 15 are met, so $\neg(\text{sat } F_0)$. □

7.3.3. Termination. Termination of the system with conflict analysis will be proved by using a suitable well-founded ordering that is compatible with the relation \rightarrow_c , i.e., an ordering \succ such that $s \rightarrow_c s'$ yields $s \succ s'$, for any two states s and s' . This ordering will be constructed as a lexicographic combination of four simpler orderings, one for each state component.

The rules **decide**, **unitPropagate**, and **backjump** change M and no other state components. If a state s is in one of these relations with the state s' then $M \succ_{\text{tr}|Vars} M'$ (for the ordering $\succ_{\text{tr}|Vars}$, introduced in Section 4.2.3).

The ordering $\succ_{\text{tr}|Vars}$ cannot be used alone for proving termination of the system, since the rules **conflict**, **explain**, and **learn** do not change M (and, hence, if a state s is transformed into a state s' by one of these rules, then it does not hold that $M \succ_{\text{tr}|Vars} M'$). For each of these rules, a specific well-founded ordering will be constructed and it will be proved that these rules decrease state components with respect to those orderings.

The ordering \succ_{bool} will be used for handling the state component *cfct* and the rule **conflict** (the rule **explain** changes the state component *cfct*, but also the state component C , so it will be handled by another ordering). Given properties of the ordering \succ_{bool} are proved trivially.

Definition 24 (\succ_{bool}). $b_1 \succ_{\text{bool}} b_2$ iff $b_1 = \perp \wedge b_2 = \top$.

Lemma 16. If **conflict** $(M_1, F_1, C_1, \text{cfct}_1)$ $(M_2, F_2, C_2, \text{cfct}_2)$, then $\text{cfct}_1 \succ_{\text{bool}} \text{cfct}_2$.

Lemma 17. The ordering \succ_{bool} is well-founded.

An ordering over clauses (that are the third component of the states) should be constructed such that the rule **explain** decreases the state component C with respect to that ordering. Informally, after each application of the rule **explain**, a literal l of the clause C that is (by $\text{Inv}_{C\text{false}}$) false in M is replaced by several other literals that are again false in M , but for them it holds that their opposite literals precede the literal \bar{l} in M (since reason clauses are used). Therefore, the ordering of literals in the trail M defines an ordering of clauses false in M . The ordering over clauses will be a multiset extension of the relation \prec_M induced by the ordering of literals in M (Definition 1). Each explanation step removes a literal from C and replaces it with several literals that precede it in M . To avoid multiple occurrences of a literal in C , duplicates are removed. Solvers usually perform this operation explicitly and maintain the condition that C does not contain duplicates. However, our ordering does not require this restriction and termination is ensured even without it.

Definition 25 (\succ_{Cla}^M). For a trail M , $C_1 \succ_{\text{Cla}}^M C_2$ iff $\langle \text{remDups } \overline{C_2} \rangle \prec_M^{\text{mult}} \langle \text{remDups } \overline{C_1} \rangle$.

Lemma 18. For any trail M , the ordering \succ_{Cla}^M is well-founded.

The following lemma ensures that each explanation step decreases the conflict clause in the ordering \succ_{Cla}^M , for the current trail M . This ensures that each application of the **explain** rule decreases the state with respect to this ordering.

Lemma 19. If $l \in C$ and $\text{isReason } c \bar{l} M$, then $C \succ_{\text{Cla}}^M \text{resolve } C \ c \ l$.

Lemma 20. If **explain** (M, F, C_1, cfct) (M, F, C_2, cfct) , then $C_1 \succ_{\text{Cla}}^M C_2$.

The rule **learn** changes the state component F (i.e., it adds a clause to the formula) and it requires constructing an ordering over formulae.

Definition 26 (\succ_{Form}^C). For any clause C , $F_1 \succ_{\text{Form}}^C F_2$ iff $C \notin F_1 \wedge C \in F_2$.

Lemma 21. For any clause C , the ordering \succ_{Form}^C is well-founded.

By the definition of the **learn** rule, it holds that $C \notin F_1$ and $C \in F_2$, so the following lemma trivially holds.

Lemma 22. If **learn** $(M, F_1, C, \text{cflct}) (M, F_2, C, \text{cflct})$, then $F_1 \succ_{\text{Form}}^C F_2$.

Theorem 2 (Termination for \rightarrow_c). If the set DecVars is finite, for any formula F_0 , the relation \rightarrow_c is well-founded on the set of states s such that $s_0 \rightarrow_c^* s$, where s_0 is the initial state for F_0 .

Proof. Let \succ be a (parametrized) lexicographic product (Definition 3), i.e., let

$$\succ \equiv \succ_{\text{tr}|_{\text{Vars}}} \langle * \text{lex} * \rangle \succ_{\text{bool}} \langle * \text{lex}^{\text{P}} * \rangle \left(\lambda s. \succ_{\text{Cla}}^{M_s} \right) \langle * \text{lex}^{\text{P}} * \rangle \left(\lambda s. \succ_{\text{Form}}^{C_s} \right),$$

where M_s is the trail in the state s , and C_s is the conflict clause in the state s . By Proposition 1 and Lemmas 7, 17, 18, and 21, the relation \succ is well-founded. If the invariants hold in the state $(M_1, F_1, C_1, \text{cflct}_1)$ and if $(M_1, F_1, C_1, \text{cflct}_1) \rightarrow_c (M_2, F_2, C_2, \text{cflct}_2)$, then $(M_1, \text{cflct}_1, C_1, F_1) \succ (M_2, \text{cflct}_2, C_2, F_2)$. Indeed, by Lemma 6, the rules **decide**, **unitPropagate** and **backjump** decrease M in the ordering, the rule **conflict** does not change M but (by Lemma 16) decreases cflct , the rule **explain** does not change M nor cflct , but (by Lemma 20) decreases C , and the rule **learn** does not change M , cflct , nor C , but (by Lemma 22) decreases F .

Then the theorem holds by Proposition 1 (where f is a permutation mapping (M, F, C, cflct) to (M, cflct, C, F)). \square

7.3.4. *Completeness and Correctness.* Completeness requires that all final states are outcome states, and the following two lemmas are used to prove this property.

Lemma 23. If for the state (M, F, C, cflct) it holds that:

- (1) $\text{cflct} = \top$,
- (2) **unique** M (i.e., $\text{Inv}_{\text{unique}}$ holds),
- (3) $\text{cflct} \rightarrow M \models \neg C$ (i.e., $\text{Inv}_{\text{Cfalse}}$ holds),
- (4) the rules **explain** and **backjump** are not applicable,

then the state (M, F, C, cflct) is a rejecting state and $C = []$.

Lemma 24. If in the state (M, F, C, cflct) it holds that $\text{cflct} = \perp$ and the rule **conflict** is not applicable, then the state (M, F, C, cflct) is an accepting state and $M \not\models \neg F$.

Theorem 3 (Completeness for \rightarrow_c). For any formula F_0 , if $([], F_0, [], \perp) \rightarrow_c^* (M, F, C, \text{cflct})$, and if the state (M, F, C, cflct) is final, then it is either accepting or rejecting.

Proof. Since the state (M, F, C, cflct) is reachable from the initial state, by Lemma 1, all the invariants hold in this state, including **unique** M (i.e., $\text{Inv}_{\text{unique}}$), and $\text{cflct} \rightarrow M \models \neg C$ (i.e., $\text{Inv}_{\text{Cfalse}}$). In the state (M, F, C, cflct) , it holds that either $\text{cflct} = \top$ or $\text{cflct} = \perp$. If $\text{cflct} = \perp$, since the rule **decide** is not applicable (as the state is final), by Lemma 24, the state (M, F, C, cflct) is a rejecting state. If $\text{cflct} = \top$, since the rule **conflict** is not applicable (as the state is final) by Lemma 23, the state is an accepting state. \square

Correctness of the system is proved in analogy with Theorem 4.

8. RESTARTING AND FORGETTING

In this section we extend the previous system with restarting and forgetting. The most challenging task with restarting is to ensure termination.

Many solvers use restarting and forgetting schemes that apply restarting with *increasing periodicity* and there are theoretical results ensuring total correctness of these [KG07, NOT06]. However, modern solvers also use *aggressive restarting schemes* (e.g., Luby restarts) that apply the **restart** rule very frequently, but there are no corresponding theoretical results that ensure termination of these schemes. In this section we will formulate a system that allows application of the restart rule after each conflict and show that this (weakly constrained, hence potentially extremely frequent) scheme also ensures termination.

8.1. States and Rules. Unlike previous systems that tend to be as abstract as possible, this system aims to precisely describe the behaviour of modern SAT solvers. For example, only learnt clauses can be forgotten. So, to aid the **forget** rule, the formula is split to the initial part F_0 and the learnt clauses Fl . Since the input formula F_0 is fixed it is not a part of state anymore, but rather an input parameter. The new component of the state — the *lnt* flag — has a role in ensuring termination by preventing applying **restart** and **forget** twice without learning a clause in between. In addition, some changes in the rules ensure termination of some variants of the system. Unit propagation is performed eagerly, i.e., **decide** is not applied when there is a unit clause present. Also, backjumping is always performed to the minimal backjump level (Definition 5.2). These stronger conditions are very often obeyed in real SAT solver implementations, and so this system still makes their faithful model.

Definition 10''. A state of the system is a five-tuple $(M, Fl, C, cfct, lnt)$, where M is a trail, Fl is a formula, C is a clause, and $cfct$ and lnt are Boolean variables. A state $([], F_0, [], \perp, \perp)$ is a *initial state* for the input formula F_0 .

Definition 27 (Transition rules).

decide $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff

$$\begin{aligned} \exists l. \quad & \text{var } l \in \text{DecVars} \wedge l \notin M_1 \wedge \bar{l} \notin M_1 \wedge \\ & \neg(\exists c l. c \in F_0 @ Fl_1 \wedge \text{isUnitClause } c \mid M_1) \wedge \\ & M_2 = M_1 @ l^d \wedge Fl_2 = Fl_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \wedge lnt_2 = lnt_1 \end{aligned}$$

unitPropagate $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff

$$\begin{aligned} \exists c l. \quad & c \in F_0 @ Fl_1 \wedge \text{isUnit } c \mid M_1 \wedge \\ & M_2 = M_1 @ l^i \wedge Fl_2 = Fl_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \wedge lnt_2 = lnt_1 \end{aligned}$$

conflict $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff

$$\begin{aligned} \exists c. \quad & cfct_1 = \perp \wedge c \in F_0 @ Fl_1 \wedge M_1 \models \neg c \wedge \\ & M_2 = M_1 \wedge Fl_2 = Fl_1 \wedge C_2 = c \wedge cfct_2 = \top \wedge lnt_2 = lnt_1 \end{aligned}$$

explain $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff

$$\begin{aligned} \exists l c. \quad & cfct_1 = \top \wedge l \in C_1 \wedge \text{isReason } mc \bar{l} M_1 \wedge c \in F_0 @ Fl_1 \wedge \\ & M_2 = M_1 \wedge Fl_2 = Fl_1 \wedge C_2 = \text{resolve } C_1 c l \wedge cfct_2 = \top \wedge lnt_2 = lnt_1 \end{aligned}$$

backjumpLearn $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff
 $\exists c \ l \ level. \quad cfct_1 = \top \wedge \text{isMinimalBackjumpLevel } level \ l \ C_1 \ M_1 \wedge$
 $M_2 = (\text{prefixToLevel } level \ M_1) @ l^i \wedge Fl_2 = Fl_1 @ [C_1] \wedge$
 $C_2 = [] \wedge cfct_2 = \perp \wedge lnt_2 = \top$

forget $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff
 $\exists Fc. \quad cfct_1 = \perp \wedge lnt_1 = \top$
 $Fc \subseteq Fl \wedge (\forall c \in Fc. \neg(\exists l. \text{isReason } c \ l \ M_1)) \wedge$
 $Fl_2 = Fl_1 \setminus Fc \wedge M_2 = M_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \wedge lnt_2 = \perp$

restart $(M_1, Fl_1, C_1, cfct_1, lnt_1) (M_2, Fl_2, C_2, cfct_2, lnt_2)$ iff
 $cfct_1 = \perp \wedge lnt_1 = \top \wedge$
 $M_2 = \text{prefixToLevel } 0 \ M_1 \wedge Fl_2 = Fl_1 \wedge C_2 = C_1 \wedge cfct_2 = cfct_1 \wedge lnt_2 = \perp$

These rules will be used to formulate three different transition systems. The system \rightarrow_r consists of all rules except **restart**, the system \rightarrow_f consists of all rules except **forget**, and the system \rightarrow consists of all rules.

8.2. Properties. The structure of the invariants and the proofs of the properties of the system are basically similar to those given in Section 7, while the termination proof requires a number of new insights.

8.2.1. Invariants. All invariants formulated so far hold, but the formula F , not present in the new state, has to be replaced by $F_0 @ Fl$.

8.2.2. Termination. Termination of the system without restarts is proved first.

Theorem 2 (Termination for \rightarrow_r). If the set $DecVars$ is finite, for any formula F_0 , the relation \rightarrow_r is well-founded on the set of states s such that $s_0 \rightarrow_r^* s$, where s_0 is the initial state for F_0 .

Proof. Let \succ be a (parametrized) lexicographic product (Definition 3), i.e., let

$$\succ \equiv \succ_{\text{tr}}|_{Vars} \langle *lex* \rangle \succ_{\text{bool}} \langle *lex^P* \rangle \left(\lambda s. \succ_{\text{Cla}}^{M_s} \right) \langle *lex* \rangle \succ_{\text{bool}},$$

where M_s is the trail in the state s . By Proposition 1 and Lemmas 7, 17, and 18, the relation \succ is well-founded. If the state $(M_1, Fl_1, C_1, cfct_1, lnt_1)$ satisfies the invariants and if $(M_1, Fl_1, C_1, cfct_1, lnt_1) \rightarrow_r (M_2, Fl_2, C_2, cfct_2, lnt_2)$, then $(M_1, cfct_1, C_1, \neg lnt_1) \succ (M_2, cfct_2, C_2, \neg lnt_2)$. Indeed, by Lemma 6 the rules **unitPropagate**, **decide** and **backjumpLearn** decrease M , the rule **conflict** does not change M but (by Lemma 16) decreases $cfct$, the rule **explain** does not change M nor $cfct$, but (by Lemma 20) decreases C , and the rule **forget** does not change M , $cfct$, nor C , but decreases $\neg lnt$.

From the above, the theorem holds by Proposition 1 (for a suitable f). \square

The termination proof of the system without forgets is more involved. We define a (not necessarily well-founded) ordering of the formulae by inclusion and its restriction with respect to the set of variables occurring in the formula.

Definition 28 (\succ_{FormC}). $F_1 \succ_{\text{FormC}} F_2$ iff $F_1 \subset F_2$.

Definition 29 ($\succ_{\text{FormC} \mid \text{Vbl}}$). $F_1 \succ_{\text{FormC} \mid \text{Vbl}} F_2$ iff $\text{vars } F_1 \subseteq \text{Vbl} \wedge \text{vars } F_1 \subseteq \text{Vbl} \wedge \overline{F_1} \succ_{\text{FormC}} \overline{F_2}$, where \overline{F} denotes the formula obtained by removing duplicate literals from clauses and removing duplicate clauses.

Lemma 25. If the set Vbl is finite, then the relation $\succ_{\text{FormC} \mid \text{Vbl}}$ is well-founded.

The following lemma states that if unit propagation is done eagerly and if backjumping is always performed to the minimal backjump level, then the clauses that are learnt are always fresh, i.e., they do not belong to the current formula.

Lemma 26. If s_0 is an initial state, $s_0 \rightarrow_f^* s_A$ and $\text{backjumpLearn } s_A s_B$, where $s_A = (M_A, Fl_A, C_A, \top, lnt_A)$, then $C_A \notin F_0 @ Fl_A$.

Therefore, backjumpLearn increases formula in the inclusion ordering.

Lemma 27. If $s_0 \rightarrow_f s_A$ and $\text{backjumpLearn } s_A s_B$ for initial state s_0 and states s_A and s_B , then $F_0 @ Fl_A \succ_{\text{FormC} \mid \text{Vars}} F_0 @ Fl_B$, where F_A and F_B are formulae in states s_A and s_B .

Theorem 2 (Termination for \rightarrow_f). If the set DecVars is finite, for any formula F_0 , the relation \rightarrow_f is well-founded on the set of states s such that $s_0 \rightarrow_f^* s$, where s_0 is the initial state for F_0 .

Proof. Let \succ be a (parametrized) lexicographic product (Definition 3), i.e., let

$$\succ \equiv \succ_{\text{FormC} \mid \text{Vars}} \langle * \text{lex} * \rangle \succ_{\text{bool}} \langle * \text{lex} * \rangle \succ_{\text{tr} \mid \text{Vars}} \langle * \text{lex} * \rangle \succ_{\text{bool}} \langle * \text{lex}^{\text{P}} * \rangle \left(\lambda s. \succ_{\text{Cla}}^{M_s} \right),$$

where M_s is the trail in the state s . By Proposition 1 and Lemmas 7, 17, 18, and 25, the relation \succ is well-founded. If the state $(M_1, Fl_1, C_1, cfct_1, lnt_1)$ satisfies the invariants and if $(M_1, Fl_1, C_1, cfct_1, lnt_1) \rightarrow_f (M_1, Fl_1, C_1, cfct_1, lnt_1)$, then $(F_1, \neg lnt_1, M_1, cfct_1, C_1) \succ (F_2, \neg lnt_2, M_2, cfct_2, C_2)$. Indeed, by Lemma 27 the rule backjumpLearn decreases F , the rule restart does not change F but decreases $\neg lnt$, the rules unitPropagate and decide do not change F and lnt but (by Lemma 6) decrease M , the rule conflict does not change F , lnt , nor M but (by Lemma 16) decreases $cfct$, and the rule explain does not change F , lnt , M nor $cfct$, but (by Lemma 20) decreases C .

From the above, the theorem holds by Proposition 1 (for a suitable f). \square

If both forget and restart are allowed, then the system is not terminating.

Theorem 5. The relation \rightarrow is not well-founded on the set of states reachable from the initial state.

Proof. Consider the formula $[[-1, -2, 3], [-1, -2, 4], [-1, -3, -4], [-5, -6, 7], [-5, -6, 8], [-5, -7, -8]]$. The following derivation chain (for simplicity, not all components of the states are shown) proves that the relation \rightarrow is cyclic.

rule	M	Fl	Int
	$[\]$	$[\]$	\perp
decide, decide	$[1^d, 2^d]$	$[\]$	\perp
unitPropagate, unitPropagate	$[1^d, 2^d, 3^i, 4^i]$	$[\]$	\perp
conflict, explain, explain, backjumpLearn	$[1^d, -2^i]$	$[[-1, -2]]$	\top
restart	$[\]$	$[[-1, -2]]$	\perp
decide, decide	$[5^d, 6^d]$	$[[-1, -2]]$	\perp
unitPropagate, unitPropagate	$[5^d, 6^d, 7^d, 8^d]$	$[[-1, -2]]$	\perp
conflict, explain, explain, backjumpLearn	$[5^d, -6^d]$	$[[-1, -2], [-5, -6]]$	\top
forget	$[5^d, -6^i]$	$[\]$	\perp
decide, decide	$[5^d, -6^i, 1^d, 2^d]$	$[\]$	\perp
unitPropagate, unitPropagate	$[5^d, -6^i, 1^d, 2^d, 3^i, 4^i]$	$[\]$	\perp
conflict, explain, explain, backjumpLearn	$[5^d, -6^i, 1^d, -2^i]$	$[[-1, -2]]$	\top
restart	$[\]$	$[[-1, -2]]$	\perp

Therefore, it holds that

$$([\], [\], [\], \perp, \perp) \rightarrow^* ([\], [[-1, -2]], [\], \perp, \perp) \rightarrow^+ ([\], [[-1, -2]], [\], \perp, \perp).$$

□

However, if there are additional restrictions on the rule application policy, the system may be terminating. Since the number of different states for the input formula F_0 is finite (when duplicate clauses and literals are removed), there is a number n_f (dependent on F_0) such that there is no chain of rule applications without **forget** longer than n_f (\rightarrow_f is well-founded and therefore acyclic, so, on a finite set, there must exist n_f such that $\rightarrow_f^{n_f}$ is empty). Similarly, there is a number n_r (dependent on F_0) such that there is no chain of rule applications without **restart** longer than n_r . So, termination is ensured for any policy that guarantees that there is a point where the application of **forget** will be forbidden for at least n_f steps or that there is a point where the application of **restart** will be forbidden for at least n_r steps.

8.2.3. Soundness, Completeness and Correctness. Soundness and completeness proofs from previous sections hold with minor modifications necessary to adapt them to the new definition of state and rules. The most demanding part is to update Lemma 1 and to prove that the new rules maintain the invariants.

9. RELATED WORK AND DISCUSSIONS

The original DPLL procedure [DLL62] has been described in many logic textbooks, along with informal proofs of its correctness (e.g., [DSW94]). First steps towards verification of modern DPLL-based SAT solvers have been made only recently. Zhang and Malik have informally proved correctness of a modern SAT solver [ZM03]. Their proof is very informal, the specification of the solver is given in pseudo-code and it describes only one strategy for applying rules. The authors of two abstract transition systems for SAT also give correctness proofs [NOT06, KG07]. These specifications and the proofs are much more formal than those given in [ZM03], but they are also not machine-verifiable and are much less rigorous than the proofs presented in this paper.

In recent years, several machine-verifiable correctness proofs for SAT solvers were constructed. Lescuyer and Conchon formalized, within Coq, a SAT solver based on the classical DPLL procedure and its correctness proof [LS08]. They used a deep embedding, so this approach enables execution of the SAT solver in Coq and, further, a reflexive tactic. Marić and Janičić formalized a correctness proof for the classical DPLL procedure by shallow embedding into Isabelle/HOL [MJ10]. Shankar and Vaucher formally and mechanically verified a high-level description of a modern DPLL-based SAT solver within the system PVS [SV09]. However, unlike this paper which formalizes abstract descriptions for SAT, they formalize a very specific SAT solver implementation within PVS. Marić proved partial correctness (termination was not discussed) of an imperative pseudo-code of a modern SAT solver using Hoare logic approach [Mar09] and total correctness of a SAT solver implemented in Isabelle/HOL using shallow embedding [Mar10]. Both these formalizations use features of the transition systems described in this paper and provide links between the transition systems and executable implementations of modern SAT solvers. In the former approach, the verified specification can be rewritten to an executable code in an imperative programming language¹¹ while in the latter approach, an executable code in a functional language can be exported from the specification by automatic means [HN10].

The transition system discussed in Section 4 corresponds to a non-recursive version of the classical DPLL procedure. The transition systems and correctness proofs presented in the later sections are closely related to the systems of Nieuwenhuis et al. [NOT06] and Krstić and Goel [KG07]. However, there are some significant differences, both in the level of precision in the proofs and in the definitions of the rules.

Informal (non machine-verifiable) proofs allow authors some degree of imprecision. For example, in [NOT06] and [KG07] clauses are defined as “disjunctions of literals” and formulae as “conjunctions of clauses”, and this leaves unclear some issues such as whether duplicates are allowed. The ordering of clauses and literals is considered to be irrelevant — in [KG07] it is said that “clauses containing the same literals in different order are considered equal”, and in [NOT06] it is not explicitly said, but only implied (e.g., clauses in the `unitPropagate` rule are written as $C \vee l$, where $M \models \neg C$ and l is undefined in M , and from this it is clear that the order of literals must be irrelevant, or otherwise only last literals in clauses could be propagated). Therefore, clauses and formulae are basically defined as sets or multisets of literals. In our formal definition, clauses and formulae are defined as lists. Although a choice whether to use lists, multisets, or sets in these basic definitions might not seem so important, fully formal proofs show that this choice makes a very big difference. Namely, using sets saves much effort in the proof. For example, if formulae may contain repeated clauses, easy termination arguments like “there are finitely many different clauses that can be learnt” cannot be applied. On the other hand, using sets makes the systems quite different from real SAT solver implementations — eliminating duplicates from clauses during solving is possible and cheap, but explicitly maintaining absence of duplicate clauses from formulae may be intolerably expensive. It can be proved that maintaining absence of duplicate clauses can be, under some conditions on the rules, implicitly guaranteed only by eliminating duplicate clauses from formulae during initialization. Solvers typically assume this complex fact, but it was not proved before for formulae represented by lists, while for systems using sets this issue is irrelevant.

The system given in [NOT06] is very close to the system given in Section 5 and later extended in Section 6. The requirement that the set of decision literals exactly coincides

¹¹As done in the implementation of our SAT solver ArgoSAT.

with the set of literals from the input formula is too strong and is not always present in real SAT solvers, so it is relaxed in our system and the set *DecVars* is introduced (a similar technique is used in [KG07]). Also, the definition of the **backjump** rule from [NOT06] requires that there is a false clause in the formula being solved when the rule is applied, but our formal analysis of the proofs shows that this assumption is not required, so it is omitted from Definition 17. As already mentioned, the condition that the unit clauses belong to the formula is also relaxed, and propagating can be performed over arbitrary consequences of the formula. The invariants used in the proofs and the soundness proof are basically the same in [NOT06] and in this paper, but the amount of details had to be significantly increased to reach a machine-verifiable proof. Our completeness proof is somewhat simpler. The ordering used in termination proof for the system with backjumping in [NOT06] expresses a similar idea to ours, but is much more complex. A conflict analysis process is not described within the system from [NOT06].

The system given in [KG07] is close to the system given in Section 7, with some minor differences. Namely, in our system, instead of a set of decision literals, the set of decision variables is considered. Also, unit, conflict and reason clauses need not be present in the formula. The conflict set used in [KG07] along with its distinguished value `no_cflct` is here replaced by the conflict flag and a conflict clause (the conflict set is the set of opposites of literals occurring in our conflict clauses). The underlying reasoning used in two total correctness proofs is the same, although in [KG07] the invariants are not explicitly formulated and the proof is monolithic (lemmas are not present) and rather informal.

Formalization of termination proofs from both [NOT06] and [KG07] required the greatest effort in the formalization. Although arguments like “between any two applications of the rule . . . there must be an occurrence of the rule . . .”, heavily used in informal termination proofs, could be formalized, we felt that constructing explicit termination orderings is much cleaner.

In [KG07] termination of systems with restarts is not thoroughly discussed and in [NOT06] it is proved very informally, under a strong condition that the periodicity of restarts is strictly increasing. This is often not the case in many modern SAT solver implementations. In this paper, we have (formally) proved that restarting can be performed very frequently (after each conflict) without compromising total correctness. However, some additional requirements (unit propagation must be exhaustive, backjumping must be performed to minimal backjumping levels, and backjump lemmas must always be learnt) are used in the proof, but these are always present in modern SAT solvers. Although the issue has been addressed in the literature, we are not aware of a previous proof of termination of frequent restarting.

10. CONCLUSIONS

We presented a formalization of modern SAT solvers and their properties in the form of *abstract state transition systems*. Several different SAT solvers are formalized — from the classical DPLL procedure to its modern successors. The systems are defined in a very abstract way so they cover a wide range of SAT solving procedures. The formalization is made within the Isabelle/HOL system and the total correctness properties (soundness, termination, completeness) are shown for each presented system.

Central theorems claim (roughly) that a transition system, i.e., a SAT solver, terminates and returns an answer *yes* if and only if the input formula is satisfiable. This whole construction boils down to the simple definition of satisfiable formula, which can be confirmed by manual inspection.

Our formalization builds up on the previous work on state transition systems for SAT and also on correctness arguments for other SAT systems. However, our formalization is the first that gives machine-verifiable total correctness proofs for systems that are close to modern SAT solvers. Also, compared to other abstract descriptions, our systems are more general (so can cover a wider range of possible solvers) and require weaker assumptions that ensure the correctness properties. Thanks to the framework of formalized mathematics, we explicitly separated notions of soundness and completeness, and defined all notions and properties relevant for SAT solving, often neglected to some extent in informal presentations.

Our experience in the SAT verification project shows that having imperative software modelled abstractly, in the form of abstract state transition systems, makes the verification cleaner and more flexible. It can be used as a key building block in proving correctness of SAT solvers by using other verification approaches which significantly simplifies the overall verification effort.

ACKNOWLEDGEMENT

This work was partially supported by the Serbian Ministry of Science grant 174021 and by the SNF grant SCOPES IZ73Z0_127979/1. We are grateful to Natarajan Shankar for sharing with us his unpublished manuscript [SV09]. We are also grateful to anonymous reviewers for very careful reading and for detailed and useful comments on an earlier version of this paper.

REFERENCES

- [BMS00] L. Baptista and J. P. Marques-Silva. Using randomization and learning to solve hard real-world instances of satisfiability. In *6th CP*, Singapore, 2000.
- [BS97] R. J. Jr. Bayardo and R. C. Schrag. Using CSP look-back techniques to solve real-world SAT instances. In *14th AAAI*, Providence, USA, 1997.
- [Bie08] A. Biere. PicoSAT Essentials. In *JSAT*, vol. 4, pp. 75-97, 2008.
- [BHMW09] A. Biere, M. Heule, H. van Maaren, and T. Walsh editors. *Handbook of satisfiability*, IOS Press, 2009.
- [BHZ06] L. Bordeaux, Y. Hamadi, and L. Zhang. Propositional satisfiability and constraint programming: A comparative survey. In *ACM Surveys*, 2006.
- [BKH⁺08] L. Bulwahn, A. Krauss, F. Haftmann, L. Erkök and J. Matthews. Imperative Functional Programming with Isabelle/HOL. In *TPHOLs 2008*, Montreal, LNCS 5170, 2008.
- [Coo71] S. A. Cook. The complexity of theorem-proving procedures. In *3rd STOC*, New York, USA, 1971.
- [DFMS10] A. Darbari, B. Fischer, J. Marques-Silva. Industrial-Strength Certified SAT Solving through Verified SAT Proof Checking. In *ICTAC*, 2010.
- [DLL62] M. Davis, G. Logemann, and D. Loveland. A machine program for theorem-proving. *Commun. ACM*, 5(7), 1962.
- [DP60] M. Davis and H. Putnam. A computing procedure for quantification theory. *J. ACM*, 7(3), 1960.
- [DSW94] M. Davis, R. Sigal, E. J Weyuker. *Computability, Complexity, and Languages: Fundamentals of Theoretical Computer Science*. Morgan Kaufmann Publishers, 1994.
- [ES04] N. Eén and N. Sorensson. An extensible SAT-solver. in *SAT 04*, 2004.
- [Gel07] A. Van Gelder. Verifying Propositional Unsatisfiability: Pitfalls to Avoid. In *SAT '07*, LNCS 4501, Lisbon, 2007.

- [GKSS07] C. P. Gomes, H. Kautz, A. Sabharwal, and B. Selman. Satisfiability solvers. In *Handbook of Knowledge Representation*. Elsevier, 2007.
- [GN02] E. Goldberg and Y. Novikov. Berkmin: A fast and robust SAT solver. In *Design Automation and Test in Europe (DATE)*, 2002.
- [GN03] E. Goldberg and Y. Novikov. Verification of Proofs of Unsatisfiability for CNF Formulas. In *Design Automation and Test in Europe (DATE)*, 2003.
- [GSK98] C. Gomes, B. Selman, and H. Kautz. Boosting combinatorial search through randomization. In *15th AAAI*, Madison, WI, USA, 1998.
- [HN10] F. Haftmann, T. Nipkow. Code Generation via Higher-Order Rewrite Systems. In *FLOPS 2010*, LNCS 6009, Springer, 2010.
- [Hoa69] C. A. R. Hoare. An axiomatic basis for computer programming. *Communication of the ACM*, 12(10), 1969.
- [Kle10] G. Klein et al. seL4: formal verification of an operating-system kernel. *Communication of the ACM*, 53(6), 2010.
- [KG07] S. Krstić and A. Goel. Architecting solvers for SAT modulo theories: Nelson-Oppen with DPLL. In *FroCoS*, 2007.
- [LS08] S. Lescuyer and S. Conchon. A Reflexive Formalization of a SAT Solver in Coq. In *TPHOLs'08: Emerging Trends*, Montreal, 2008.
- [Mar08] F. Marić, SAT Solver Verification. *The Archive of Formal Proofs*, <http://afp.sf.net/entries/SATSolverVerification.shtml>.
- [Mar09] F. Marić. Formalization and Implementation of SAT solvers. *J. Autom. Reason.*, 43(1), 2009.
- [Mar10] F. Marić. Formal Verification of a Modern SAT Solver by shallow embedding into Isabelle/HOL. *Theoretical Computer Science*, 411(50), 2010.
- [MJ09] F. Marić and P. Janičić. SAT Verification Project. In *TPHOLs'09: Emerging Trends*, Munich, 2009.
- [MJ10] F. Marić and P. Janičić. Formal Correctness Proof for DPLL Procedure. *Informatica*, 21(1), 2010.
- [MSS99] J. P. Marques-Silva and K. A. Sakallah. Grasp: A new search algorithm for satisfiability. In *International Conference on Computer-Aided Design*, 1996.
- [MMZ⁺01] M. W. Moskewicz, C. F. Madigan, Y. Zhao, L. Zhang, and S. Malik. Chaff: Engineering an Efficient SAT Solver. In *38th DAC*, 2001.
- [NOT06] R. Nieuwenhuis, A. Oliveras, and C. Tinelli. Solving SAT and SAT Modulo Theories: from an Abstract Davis-Putnam-Logemann-Loveland Procedure to DPLL(T). *Journal of the ACM*, 53(6), 2006.
- [NPW02] T. Nipkow, L. C. Paulson, and M. Wenzel. *Isabelle/HOL — A Proof Assistant for Higher-Order Logic*, LNCS 2283, Springer, 2002.
- [Sch06] N. Schirmer. *Verification of Sequential Imperative Programs in Isabelle/HOL*. PhD thesis, Technische Universität München (2006).
- [SV09] N. Shankar and M. Vaucher. The mechanical verification of a DPLL-based satisfiability solver. Unpublished manuscript, 2008.
- [WA09] T. Weber and H. Amjad. Efficiently checking propositional refutations in HOL theorem provers. *J. Applied Logic* 7(1), 2009.
- [Zha97] H. Zhang. SATO: An efficient propositional prover. In *CADE-14*, London, UK, 1997.
- [ZM02] L. Zhang and S. Malik. The quest for efficient boolean satisfiability solvers. In *14th CAV*, London, UK, 2002.
- [ZM03] L. Zhang and S. Malik. Validating SAT solvers using independent resolution-based checker. In *DATE'03*, Washington DC, USA, 2003.
- [ZMMM01] L. Zhang, C. F. Madigan, M. H. Moskewicz, and S. Malik. Efficient conflict driven learning in a boolean satisfiability solver. In *ICCAD '01*, Piscataway, USA, 2001.

APPENDIX A. UNDERLYING THEORY

Proposition 1. Let f be a function and \succ a relation such that $x \succ y \longrightarrow fx \succ' fy$. If \succ' is well-founded, then so is \succ . In other words, inverse image under a function of a well-founded relation is well-founded.

Proof. Let us proof a minimal element principle for the relation \succ :

$$\forall Q. (\exists a \in Q) \longrightarrow (\exists a_{min} \in Q. (\forall a'. a_{min} \succ a' \longrightarrow a' \notin Q))$$

Let Q be a set let a be its element. Let Q_f be the image of Q under f , i.e.,

$$Q_f = f'Q.$$

The set Q_f is not empty since it contains $f a$. Then, from the minimal element principle for \succ' it holds that there exists a_f^{min} , such that

$$a_f^{min} \in Q_f \quad \text{and} \quad \forall a'_f. a_f^{min} \succ' a'_f \longrightarrow a'_f \notin Q_f.$$

Since $a_f^{min} \in Q_f$, there is an element $a^{min} \in Q$, such that

$$f a^{min} = a_f^{min}.$$

The element a^{min} is a minimal element of Q . If there was an element a' , such that $a' \in Q$ and $a^{min} \succ a'$, then it would hold that $a_f^{min} = f a^{min} \succ' f a' = a'_f$. However, then it would hold that $a'_f \notin Q_f$, although there is an element of Q (that is the element a'), such that $a'_f = f a'$, contradicting the definition of Q_f . So, if $a_{min} \succ a'$, then $a' \notin Q$. \square

Proposition 1. Let \succ_x be a well-founded ordering on X and for each $x \in X$ let be \succ_y^x a well-founded ordering. Then $\succ \equiv \succ_x (*\text{lex}^P*) \succ_y^x$ is a well-founded ordering.

Proof. Let $\overline{\succ_x}$ be an ordering such that $(x_1, y_1) \overline{\succ_x} (x_2, y_2)$ iff $x_1 \succ_x x_2$. Since \succ_x is well founded, by Proposition 1 (for a projection function), $\overline{\succ_x}$ is also well founded.

Similarly, for each $x \in X$, let $\overline{\succ_y^x}$ be an ordering on $\{x\} \times Y$, such that $(x, y_1) \overline{\succ_y^x} (x, y_2)$ if and only if $y_1 \succ_y y_2$. Since \succ_y is well-founded, by Proposition 1 (for a projection function), $\overline{\succ_y^x}$ is also well-founded.

Let us show a minimal element principle for \succ .

$$\forall Q. (\exists a \in Q) \longrightarrow (\exists a_{min} \in Q. (\forall a'. a_{min} \succ a' \longrightarrow a' \notin Q))$$

Let Q be a set of ordered pairs from $X \times Y$ and let a be its element. By the minimal element principle for $\overline{\succ_x}$, there is a pair (x_{min}, y) such that $(x_{min}, y) \in Q$ and

$$\forall a'. (x_{min}, y) \overline{\succ_x} a' \longrightarrow a' \notin Q.$$

Consider the set $Q_{x_{min}} = \{x_{min}\} \times Y$. It holds that $(x_{min}, y) \in Q_{x_{min}}$. Then, by the minimal element principle for $\overline{\succ_y^{x_{min}}}$ there is an element (x_{min}, y_{min}) such that $(x_{min}, y_{min}) \in Q_{x_{min}}$ and

$$\forall a'. (x_{min}, y_{min}) \overline{\succ_y^{x_{min}}} a' \longrightarrow a' \notin Q_{x_{min}}.$$

We show that (x_{min}, y_{min}) is a minimal element of Q . Assume that there is an $a' = (x', y') \in Q$ such that $(x_{min}, y_{min}) \succ (x', y')$.

If $x_{min} \succ_x x'$, then $(x_{min}, y) \overline{\succ_x} (x', y')$, hence $a' \notin Q$, which is a contradiction.

If $x_{min} = x' \wedge y_{min} \succ y'$, then $a' \in Q_{x_{min}}$ and $(x_{min}, y_{min}) \overline{\succ_y^{x_{min}}} (x', y')$. Then, it must hold that $a' \notin Q_{x_{min}}$, which is a contradiction.

Thus, for every a' such that $(x_{min}, y_{min}) \succ a'$ it must hold that $a' \notin Q$. \square

Proposition 2. For any list L , the ordering \prec_L is well-founded.

Proof. A sufficient condition — the minimal element property will be proved:

$$\forall Q. (\exists a \in Q) \longrightarrow (\exists a_{min} \in Q. (\forall a'. a' \prec_L a_{min} \longrightarrow a' \notin Q))$$

Let Q is an arbitrary set and let a be an element of that set. Let Q_L is a list of all elements of L that belong to Q , and in the same ordering they appear in L .

If it holds that $Q_L = []$, then let $a_{min} = a$. There is no a' such that $a' \prec_L a_{min}$. Indeed, if it holds that $a' \prec_L a_{min}$, it would hold that $a_{min} = a \in Q_L$, which is impossible since $Q_L = []$.

If it holds that $Q_L \neq []$, then let $a_{min} = (\text{head } Q_L)$. If a' is such that it holds $a' \prec_L a_{min}$, then it would hold $a' \in L$. It must hold $a' \notin Q$. Indeed, if it holds $a' \in Q$, it would also hold $a' \in Q_L$, and further, $a' \prec_{Q_L} a_{min}$, which is impossible, by the definition of \prec_{Q_L} (Definition 1) since a_{min} is the first element of Q_L . \square

The following proposition (given here without a proof) formulates properties of the function `prefixTo`.

Proposition 3.

-
- $\text{prefixTo } e (l_1 @ l_2) =$
 (if $e \in l_1$ then $\text{prefixTo } e l_1$ else $l_1 @ \text{prefixTo } e l_2$)
 - $p \leq l \wedge e \in p \longrightarrow \text{prefixTo } e p = \text{prefixTo } e l$
-

The following proposition trivially holds.

Proposition 4.

-
- Lexicographic extension of an irreflexive relation is irreflexive.
 - Lexicographic extension of a transitive relation is transitive.
-

Basic properties of opposite literals are given in the next proposition (given here without a proof).

Proposition 5.

-
- $\bar{\bar{l}} = l$
 - $\bar{l}_1 = l_2 \longleftrightarrow \bar{l}_2 = l_1$
 - $\overline{l_1} = \overline{l_2} \longleftrightarrow l_1 = l_2$
 - $\bar{l} \neq l$
 - $\text{var } \bar{l} = \text{var } l$
 - $\text{var } l_1 = \text{var } l_2 \longleftrightarrow l_1 = l_2 \vee \bar{l}_1 = l_2$
-

Basic properties of variable sets are given in the next proposition (given here without a proof).

Proposition 6.

-
- $l \in c \longrightarrow \text{var } l \in \text{vars } c$
 - $l \in F \longrightarrow \text{var } l \in \text{vars } F$
 - $c \in F \longrightarrow \text{vars } c \subseteq \text{vars } F$
 - $\text{vars } (c_1 @ c_2) = \text{vars } c_1 \cup \text{vars } c_2$
 - $\text{vars } (F_1 @ F_2) = \text{vars } F_1 \cup \text{vars } F_2$
 - $\text{vars } c \setminus \text{var } l \subseteq \text{vars } (c \setminus l) \subseteq \text{vars } c$
 - $\text{vars } F \setminus \text{vars } c \subseteq \text{vars } (F \setminus c) \subseteq \text{vars } F$
 - $vbl \in \text{vars } c \longrightarrow \exists l. l \in c \wedge \text{var } l = vbl$
 - $vbl \in \text{vars } F \longrightarrow \exists l. l \in F \wedge \text{var } l = vbl$
-

Basic properties of semantics are given in the following propositions (given here without proofs).

Proposition 7.

-
- $\text{var } l \in \text{vars } v \longleftrightarrow v \vDash l \vee v \vDash \neg l$
 - $v \vDash (c_1 @ c_2) @ c_3 \longleftrightarrow v \vDash c_1 @ (c_2 @ c_3)$
 - $v \vDash c_1 @ c_2 \longleftrightarrow v \vDash c_2 @ c_1$
 - $v \vDash c_1 @ c_2 \longleftrightarrow v \vDash c_1 \vee v \vDash c_2$
 - $v \vDash c \longrightarrow (v @ v') \vDash c$
 - $(v_1 @ v_2) \vDash c \longrightarrow (v_2 @ v_1) \vDash c$
 - $v \vDash \neg c \longrightarrow (v @ v') \vDash \neg c$
 - $(v_1 @ v_2) \vDash \neg c \longrightarrow (v_2 @ v_1) \vDash \neg c$
 - $c \neq [] \longrightarrow [] \not\vDash \neg c$
 - $v \vDash \neg c \longrightarrow v \vDash \neg c \setminus l$
 - $v \vDash \neg c \wedge c' \subseteq c \longrightarrow v \vDash \neg c'$
 - $v \vDash \neg []$
 - $v \vDash \neg c \longrightarrow \text{vars } c \subseteq \text{vars } v$
-

Proposition 8.

-
- $v \vDash (F_1 @ F_2) @ F_3 \longleftrightarrow v \vDash F_1 @ (F_2 @ F_3)$
 - $v \vDash F_1 @ F_2 \longleftrightarrow v \vDash F_2 @ F_1$
 - $v \vDash F_1 @ F_2 \longleftrightarrow v \vDash F_1 \wedge v \vDash F_2$
 - $v \vDash F \longrightarrow v \vDash F \setminus c$
 - $v \vDash F \wedge F' \subseteq F \longrightarrow v \vDash F'$
 - $v \vDash []$
 - $v \vDash F \longrightarrow (v @ v') \vDash F$
 - $(v_1 @ v_2) \vDash F \longrightarrow (v_2 @ v_1) \vDash F$
 - $v \vDash \neg F \longrightarrow (v @ v') \vDash \neg F$
 - $(v_1 @ v_2) \vDash \neg F \longrightarrow (v_2 @ v_1) \vDash \neg F$
 - $v \vDash \neg F \longrightarrow v \vDash \neg F @ F'$
-

Basic properties of inconsistent valuations are given in the following proposition (given here without a proof).

Proposition 9.

-
- $v \models c \wedge v \models \neg c \longrightarrow \text{inconsistent } v$
 - $v \models F \wedge v \models \neg F \longrightarrow \text{inconsistent } v$
 - $\text{inconsistent } (v_1 @ v_2) \longleftrightarrow \text{inconsistent } v_1 \vee \text{inconsistent } v_2 \vee v_1 \cap \overline{v_2} \neq \emptyset$
 - $\text{consistent } (v_1 @ v_2) \longleftrightarrow \text{consistent } v_1 \wedge \text{consistent } v_2 \wedge v_1 \cap \overline{v_2} = \emptyset$
 - $\text{inconsistent } (v \setminus l) \longrightarrow \text{inconsistent } v$
 - $v_1 \subseteq v_2 \wedge \text{inconsistent } v_1 \longrightarrow \text{inconsistent } v_2$
-

Basic properties of total valuations are given in the following proposition (given here without a proof)

Proposition 10.

-
- $Vbl_1 \subseteq Vbl_2 \wedge \text{total } v \ Vbl_2 \longrightarrow \text{total } v \ Vbl_1$
 - $c \in F \wedge \text{total } v \ (\text{vars } F) \longrightarrow \text{total } v \ (\text{vars } c)$
 - $\text{total } v \ (\text{vars } c) \wedge l \in c \longrightarrow v \models l \vee v \models \neg l$
 - $\text{total } v \ (\text{vars } c) \longrightarrow v \models c \vee v \models \neg c$
 - $\text{total } v \ (\text{vars } F) \wedge l \in F \longrightarrow v \models l \vee v \models \neg l$
 - $\text{total } v \ (\text{vars } F) \wedge c \in F \longrightarrow v \models c \vee v \models \neg c$
 - $\text{total } v \ (\text{vars } F) \longrightarrow v \models F \vee v \models \neg F$
 - $\text{total } v \ (\text{vars } (F \setminus [l])) \wedge \text{var } l \in \text{vars } v \longrightarrow \text{total } v \ (\text{vars } F)$
-

Basic properties of models and satisfiability are given in the following proposition (given here without a proof).

Proposition 11.

-
- $\text{sat } []$
 - $[] \in F \longrightarrow \neg(\text{sat } F)$
 - $F' \subseteq F \wedge \text{sat } F \longrightarrow \text{sat } F'$
 - $\text{sat } (F_1 @ F_2) \longrightarrow \text{sat } F_1 \wedge \text{sat } F_2$
 - $\text{model } v \ F \wedge \text{var } l \notin \text{vars } v \longrightarrow \text{model } (v @ l) \ F$
 - $\text{model } v \ F \wedge vbl \notin \text{vars } F \longrightarrow \exists v'. \text{model } v' \ F \wedge vbl \notin \text{vars } v'$
-

Basic properties of entailment are given in the following proposition (given here without a proof).

Proposition 12.

-
- $[l] \models l$
 - $c \in F \wedge c \models l \longrightarrow F \models l$
 - $F \models l \longrightarrow (F @ F') \models l$
 - $(F \setminus c) \models l \longrightarrow F \models l$
 - $F \models l \wedge F \subseteq F' \longrightarrow F' \models l$
 - $c \in F \longrightarrow F \models c$
 - $F \models c \longrightarrow (F @ F') \models c$
 - $F \models [] \longleftrightarrow \neg(\text{sat } F)$
 - $F_1 \models F_2 \wedge \text{sat } F_1 \longrightarrow \text{sat } F_2$
 - $F_1 \models F_2 \longleftrightarrow \forall c. c \in F_2 \longrightarrow F_1 \models c$
 - $F_1 \models F_2 \wedge F_2 \models c \longrightarrow F_1 \models c$
 - $F_1 \models F_2 \wedge F_2 \models F_3 \longrightarrow F_1 \models F_3$
 - $(F_1 @ F_2) \models l \wedge F'_1 \models F_1 \longrightarrow (F'_1 @ F_2) \models l$
 - $v \models \neg F \wedge F \models v \longrightarrow \neg(\text{sat } F)$
 - $\neg(\text{sat } F) \wedge [l] \in F \longrightarrow (F \setminus [l]) \models \bar{l}$
-

Basic properties of equivalent formulae are given in the following proposition (given here without a proof).

Proposition 13.

-
- $F \equiv F$
 - $F_1 \equiv F_2 \iff F_2 \equiv F_1$
 - $F_1 \equiv F_2 \wedge F_2 \equiv F_3 \implies F_1 \equiv F_3$
 - $F_1 \equiv F'_1 \implies (F_1 @ F_2) \equiv (F'_1 @ F_2)$
 - $F_1 \equiv F_2 \implies (\text{sat } F_1) = (\text{sat } F_2)$
 - $F_1 \equiv F_2 \wedge F_2 \models c \implies F_1 \equiv (F_2 @ c)$
 - $F_1 \equiv F_2 \wedge F_2 \setminus c \models c \implies F_1 \equiv (F_2 \setminus c)$
 - $F_1 \equiv F'_1 \wedge (F_1 @ F_2) \models l \implies (F'_1 @ F_2) \models l$
-

Proposition 14. If consistent v , $v \models c_1$, and $v \models c_2$, then $v \models \text{resolvent } c_1 \ c_2 \ l$.

Proof. From $v \models c_1$, there is a literal l' such that $l' \in c_1$ and $l' \in v$. From $v \models c_2$, there is a literal l'' such that $l'' \in c_2$ and $l'' \in v$.

If $l' \neq l$, then $l' \in \text{resolvent } c_1 \ c_2 \ l$ and $v \models \text{resolvent } c_1 \ c_2 \ l$.

If $l' = l$, then it must hold that $l'' \neq \bar{l}$. Indeed, in this was not true, then l and \bar{l} would be true in v , contradicting the assumption consistent v . But, then it holds $l'' \in \text{resolvent } c_1 \ c_2 \ l$ and $v \models \text{resolvent } c_1 \ c_2 \ l$. \square

Properties of trails. The following propositions (given here without proofs) formulate some properties of assertion trails.

The following proposition gives properties of the function **decisions**.

Proposition 15.

-
- $l \in \text{decisions } M \iff l \in M \wedge \text{isDecision } l$
 - $P \leq M \implies \text{decisions } P \leq \text{decisions } M$
 - $\text{distinct } M \wedge P \leq M \wedge e \in P \wedge e \in \text{decisions } M \implies e \in \text{decisions } P$
-

The following proposition gives properties of the function **decisionsTo**.

Proposition 16.

-
- $\text{decisionsTo } M \ l \leq \text{decisions } M$
 - $l \notin M \implies \text{decisionsTo } M \ l = \text{decisions } M$
 - $\text{distinct } M \wedge l \in M \wedge \text{isDecision } l \implies l \in \text{decisionsTo } l \ M$
 - $\text{decisionsTo } l \ (M_1 @ M_2) =$
(if $l \in M_1$ then $\text{decisionsTo } l \ M_1$ else $M_1 @ \text{decisionsTo } l \ M_2$)
 - $P \leq M \wedge l \in P \implies \text{decisionsTo } l \ P = \text{decisionsTo } l \ M$
-

The following proposition gives properties of the function **lastDecision**.

Proposition 17.

-
- $\text{distinct } M \implies \text{decisionsTo } (\text{lastDecision } M) \ M = \text{decisions } M$
 - $\text{decisions } M =$
 $\text{decisions } (\text{prefixBeforeLastDecision } M) @ \text{lastDecision } M$
 - $\text{distinct } M \implies$
 $\text{prefixBeforeLastDecision } M = \text{prefixBefore } (\text{lastDecision } M) \ M$
-

The following proposition gives properties of the function **level**.

Proposition 18.

-
- $\text{level } l M \geq 0$
 - $\text{distinct } M \wedge \text{isDecision } l \longrightarrow \text{level } l M \geq 1$
 - $l \in M \longrightarrow \text{level } l (M_1 @ M_2) = \text{level } l M_1$
 - $l_1 \prec_M l_2 \longrightarrow \text{level } l_1 M \leq \text{level } l_2 M$
 - $\text{distinct } M \wedge l_1 \prec_M l_2 \wedge \text{isDecision } l_2 \longrightarrow \text{level } l_1 M \leq \text{level } l_2 M$
 - $\text{distinct } M \wedge \text{isDecision } l_1 \wedge \text{isDecision } l_2 \wedge l_1 \neq l_2 \longrightarrow$
 $\text{level } l_1 M \neq \text{level } l_2 M$
 - $\text{maxLevel } c M = \text{level } (\text{lastAssertedLiteral } c M) M$
-

The following proposition gives properties of the function `currentLevel`.

Proposition 19.

-
- $\text{currentLevel } (M @ l^i) = \text{currentLevel } M$
 - $P \leq M \longrightarrow \text{currentLevel } P \leq \text{currentLevel } M$
 - $l \in M \longrightarrow \text{level } l M \leq \text{currentLevel } M$
 - $l \notin M \longrightarrow \text{level } l (M @ l^d) = \text{currentLevel } (M @ l^d)$
-

The following proposition gives properties of the function `prefixToLevel`.

Proposition 20.

-
- $\text{prefixToLevel } \text{level } M \leq M$
 - $\text{level} < \text{currentLevel } M \longrightarrow \exists M'.$
 $M = (\text{prefixToLevel } \text{level } M) @ M' \wedge M' \neq [] \wedge \text{isDecision } (\text{hd } M')$
 - $l \in M \wedge \text{level } l M \leq \text{level} \longrightarrow l \in \text{prefixToLevel } \text{level } M$
 - $\text{level} < \text{level } l M \longrightarrow l \notin \text{prefixToLevel } \text{level } M$
 - $\text{currentLevel } (\text{prefixToLevel } \text{level } M) \leq \text{level}$
 - $l \in \text{prefixToLevel } \text{level } M \longrightarrow \text{level } l M \leq \text{level}$
 - $l \in \text{prefixToLevel } \text{level } M \longrightarrow$
 $\text{level } l (\text{prefixToLevel } \text{level } M) = \text{level } l M$
-

APPENDIX B. DPLL SEARCH

Let us first give the proof of Lemma 3 since it is used in several proofs that follow.

Lemma 3. If there is a state (M, F) such that it holds:

- (1) $\forall l. l \in M \longrightarrow (F @ \text{decisionsTo } l M) \models l$ (i.e., *InvImpliedLits* holds),
- (2) $M \models \neg F$

then it holds that $\neg(\text{sat } (F @ \text{decisions } M))$.

Proof. For each literal l from M , $\text{decisionsTo } l M$ is a prefix of $\text{decisions } M$, hence, from the condition (1) it follows $(F @ \text{decisions } l M) \models l$. Since this holds for each literal l from M , it holds that $(F @ \text{decisions } l M) \models M$.

From the condition (2), by monotonicity, it follows that $M \models \neg(F @ \text{decisions } M)$.

Since the formula $F @ (\text{decisions } M)$ is false in the valuation M that it entails, by Proposition 12, this formula is unsatisfiable. \square

Now, Lemma 1 is going to be proved. This will be done by introducing several auxiliary lemmas for each invariant and transition rule pair. The proofs for the `unitPropagate` rule are given with a weaker assumption $F \models c$ and $\text{var } l \in \text{Vars}$, instead of the $c \in F$.

InvImpliedLits

Lemma 28. If $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l M) \models l$ (i.e., InvImpliedLits holds), then $F @ (\text{decisions } M) \models M$.

Proof. The lemma holds, since for every literal l from M the list $(\text{decisionsTo } l M)$ is a sublist of $(\text{decisions } M)$. \square

decide

Lemma 29. If:

- (1) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l M) \models l$ (i.e., InvImpliedLits holds for M),
- (2) $l \notin M$
- (3) $M' = M @ l^d$

then $\forall l'. l' \in M' \longrightarrow F @ (\text{decisionsTo } l' M') \models l'$ (i.e., InvImpliedLits holds for M'),

Proof. Let l' be a literal such that $l' \in M'$. Consider the following two cases.

- (1) If $l' \in M$, then $\text{decisionsTo } l' M' = \text{decisionsTo } l' M$, so the condition holds since InvImpliedLits holds for M .
- (2) Otherwise, it holds that $l' = l$. Since $l \notin M$ and since l is added to M' as a decision literal, it holds that $\text{decisionsTo } l M' = \text{decisions } M @ l$. Since, trivially, $F @ (\text{decisions } M) @ l \models l$, the condition holds.

\square

backtrack

Lemma 30. If:

- (1) consistent M (i.e., InvConsistent holds),
- (2) distinct M (i.e., InvDistinct holds)
- (3) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l M) \models l$ (i.e., InvImpliedLits holds for M),
- (4) $M \models \neg F$,
- (5) $M' = (\text{prefixBeforeLastDecision } M) @ \overline{(\text{lastDecision } M)^i}$,

then $\forall l'. l' \in M' \longrightarrow F @ (\text{decisionsTo } l' M') \models l'$ (i.e., InvImpliedLits holds M').

Proof. Let l' be a literal such that $l' \in M'$. Consider the following two cases.

- (1) If l' is in $(\text{prefixBeforeLastDecision } M)$, then it holds that $l' \in M$, $\text{decisionsTo } l' M' = \text{decisionsTo } l' M$, and the condition $F @ (\text{decisionsTo } l' M) \models l'$ holds trivially since the InvImpliedLits holds for M by assumption.
- (2) Denote the literal $\text{lastDecision } M$ by l . Then $l' = \bar{l}$ and it remains to show that $F @ (\text{decisionsTo } \bar{l} M') \models \bar{l}$. Since l is the last decision in M , and, since distinct M , the l does not occur previously in M , it holds that $\text{decisionsTo } l M = \text{decisions } M$.

On the other hand, since \bar{l} is added to M' as an implied literal, which, since (consistent M) holds, does not belong to M , it holds that $\text{decisionsTo } \bar{l} M' = \text{decisions } (\text{prefixBeforeLastDecision } M) = (\text{decisions } M) \setminus l$.

Since InvImpliedLits holds for M and $M \models \neg F$ holds, by Lemma 3 it holds that $\neg \text{sat}(F @ (\text{decisions } M))$. Hence, by proposition 12 it must hold that $F @ ((\text{decisions } M) \setminus l) \models \bar{l}$, which proves the lemma.

□

unitPropagate

Lemma 31. If:

- (1) c is a clause such that $F \models c$
- (2) c is a unit clause in v with a unit literal l , i.e., $\text{isUnit } c \ l \ v$,

then $F @ v \models l$ holds.

Proof. Let v' be a model of $F @ v$. Hence v' is a model of F and v' contains all literals of v . Since $v' \models F$ and since $F \models c$, it must hold that $v' \models c$. But, since $\text{isUnit } c \ l \ v$ holds, all literals in c different from l are false in v . Since v is contained in v' , all literals of c different from l are also false in v' . Since v' is a model, it holds that $\text{consistent } v'$, so no literal from c , different from l cannot be true in v' . So, since $v' \models c$, the literal l must be true in v' , i.e., $v' \models l$. □

Lemma 32. If:

- (1) $\forall l'. l' \in M \longrightarrow F @ (\text{decisionsTo } l' \ M) \models l'$ (i.e., InvImpliedLits holds for M),
- (2) c is a clause such that $F \models c$,
- (3) c is a unit clause in M with a unit literal l , (i.e., $\text{isUnit } c \ l \ M$),
- (4) $M' = M @ l^i$,

$\forall l'. l' \in M' \longrightarrow F @ (\text{decisionsTo } l' \ M') \models l'$ (tj. InvImpliedLits holds for M').

Proof. For every literal l' from M $\text{decisionsTo } l' \ M' = \text{decisionsTo } l' \ M$ holds, so $F @ (\text{decisionsTo } l' \ M') \models l'$ trivially holds, since InvImpliedLits holds for M .

Therefore, it remains to show that $F @ (\text{decisionsTo } l \ M') \models l$ holds. Since l is not a decision in M' , $\text{decisionsTo } l \ M' = \text{decisions } M$ holds and it remains to show that $F @ (\text{decisions } M) \models l$. Since $F \models c$ and $\text{isUnit } c \ l \ M$, by Lemma 31, it holds that $F @ M \models l$. Since InvImpliedLits holds for M , by Lemma 28, it holds that $F @ (\text{decisions } M) \models M$. By monotonicity, $F @ (\text{decisions } M) \models F$ holds, hence, by Proposition 12, it holds that

$$F @ (\text{decisions } M) \models F @ M.$$

Since $F @ (\text{decisions } M) \models F @ M$ holds and $F @ M \models l$, the condition $F @ (\text{decisions } M) \models l$ holds by the Proposition 12 on transitivity of \models . □

InvVarsM

decide

Lemma 33. If:

- (1) $\text{vars } M \subseteq \text{Vars}$ (i.e., InvVarsM holds for M),
- (2) $\text{var } l \in \text{DecVars}$,
- (3) $M' = M @ l^d$,

then $\text{vars } M' \subseteq \text{Vars}$ holds (i.e., InvVarsM holds for M').

Proof. It holds that $\text{vars } M' = \text{vars } M \cup \{\text{var } l\}$, so the condition follows from assumptions since $\text{Vars} = \text{vars } F_0 \cup \text{DecVars}$. □

backtrack

Lemma 34. If:

- (1) $\text{vars } M \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds for M),
 - (2) $M' = (\text{prefixBeforeLastDecision } M) @ \overline{(\text{lastDecision } M)}^i$,
- then $\text{vars } M' \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds for M').

Proof. It holds that $\text{vars } M' \subseteq \text{vars } M$, so the condition trivially follows from assumption. \square

unitPropagate

Lemma 35. If:

- (1) $\text{vars } M \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds for M),
- (2) $\text{vars } F \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}F}$ holds for F),
- (3) $\text{isUnit } c \ l \ M$,
- (4) $c \in F$,
- (5) $M' = M @ l^i$,

then $\text{vars } M' \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds for M').

Proof. Since $\text{isUnit } c \ l \ M$ holds, the literal l belongs to c , i.e., $l \in c$. Since $c \in F$, it holds that $l \in F$ hence $\text{var } l \in \text{vars } F \subseteq \text{Vars}$. Hence, since $\text{vars } M' = \text{vars } M \cup \{\text{var } l\}$ and $\text{vars } M \subseteq \text{Vars}$, the condition holds. \square

Now Lemma 1 can be proved.

Lemma 1. (1) In the initial state $([], F_0)$ all the invariants hold.

- (2) If $(M, F) \rightarrow_d (M', F')$ and if the invariants are met in the state (M, F) , then they are met in the state (M', F') too.
- (3) If $([], F_0) \rightarrow_d^* (M, F)$, then all the invariants hold in the state (M, F) .

Proof. \square

Lemma 2. If it holds that $\text{DecVars} \supseteq \text{vars } F_0$ and if there is an accepting state (M, F) such that it holds:

- (1) **consistent** M (i.e., $\text{Inv}_{\text{consistent}}$ holds),
- (2) $F \equiv F_0$ (i.e., $\text{Inv}_{\text{equiv}}$ holds),
- (3) $\text{vars } F \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}F}$ holds),

then the formula F_0 is satisfiable and M is its model (i.e., **model** $M \ F_0$).

Proof. Since the rule **decide** is not applicable (as the state (M, F_0) is accepting), it holds that $\text{vars } M \supseteq \text{DecVars}$. By the assumption $\text{DecVars} \supseteq \text{vars } F_0$ and, from the assumption (3), it holds $\text{vars } M \supseteq \text{DecVars} = \text{vars } F_0 \cup \text{DecVars} \supseteq \text{vars } F$. Therefore, M is a total valuation for the variables occurring in F , so the formula F is either true or false in M , i.e., it holds either $M \models F$ or $M \models \neg F$. Since the state (M, F_0) is an accepting state, it must hold that $M \models F$. By the assumption (1), it holds that **consistent** M , so M is a model of F . By the assumption (2), F and F_0 are logically equivalent (i.e., $F \equiv F_0$), so the formula F_0 is satisfiable (i.e., **sat** F_0) and M is its model (i.e., **model** $M \ F_0$). \square

Lemma 4. \succ_{lit} is transitive and irreflexive.

Proof. \succ_{lit} is trivially transitive as there are no literals l_1 , l_2 , and l_3 such that $l_1 \succ_{\text{lit}} l_2$ and $l_2 \succ_{\text{lit}} l_3$. Indeed, by Definition 14, $l_1 \succ_{\text{lit}} l_2$ would imply $\neg(\text{isDecision } l_2)$ and $l_2 \succ_{\text{lit}} l_3$ would imply $\text{isDecision } l_2$.

\succ_{lit} is irreflexive since, by Definition 14, $l \succ_{\text{lit}} l$, would imply both $\text{isDecision } l$ and $\neg(\text{isDecision } l)$. \square

Lemma 5. \succ_{tr} is transitive, irreflexive, and acyclic, i.e., there is no trail M such that $M \succ_{\text{tr}}^+ M$.

For any three trails M , M' , and M'' it holds that: if $M' \succ_{\text{tr}} M''$, then $M @ M' \succ_{\text{tr}} M @ M''$.

Proof. From Definition 15, Lemma 4, and Proposition 4, it follows that \succ_{tr} is transitive and irreflexive.

Since \succ_{tr} is transitive, it is equal to its transitive closure. Therefore, $M \succ_{\text{tr}}^+ M$, would imply $M \succ_{\text{tr}} M$, which is impossible since \succ_{tr} is irreflexive.

From the definition of a lexicographic extension (Definition 3), it follows that for any three trails M , M' , and M'' it holds that if $M' \succ_{\text{tr}} M''$, then $M @ M' \succ_{\text{tr}} M @ M''$. \square

Lemma 6. For any two trails M_1 and M_2 and two formulae F_1 and F_2 it holds that

$$(M_1, F_1) \rightarrow_d (M_2, F_2) \longrightarrow M_1 \succ_{\text{tr}} M_2 .$$

Proof. From $(M_1, F_1) \rightarrow_d (M_2, F_2)$, three cases arise:

unitPropagate $(M_1, F_1) (M_2, F_2)$:: There is a literal l such that $M_2 = M_1 @ l^i$, so, by

Lemma 5, it holds that $M_1 \succ_{\text{tr}} M_2$ (since $[] \succ_{\text{tr}} l^i$).

backtrack $(M_1, F_1) (M_2, F_2)$:: It holds that

$$M_1 = \text{prefixBeforeLastDecision } M_1 @ (\text{lastDecision } M_1)^d @ M$$

$$M_2 = \text{prefixBeforeLastDecision } M_1 @ \overline{(\text{lastDecision } M_1)^i}$$

Since $(\text{lastDecision } M_1)^d @ M \succ_{\text{tr}} \overline{(\text{lastDecision } M_1)^i}$, by Lemma 5, it holds that $M_1 \succ_{\text{tr}} M_2$.

decide $(M_1, F_1) (M_2, F_2)$:: There is a literal l , $M_2 = M_1 @ l^d$, so, by Lemma 5, it holds that $M_1 \succ_{\text{tr}} M_2$ (since $[] \succ_{\text{tr}} l^d$). \square

Lemma 7. If the set Vbl is finite, then the relation $\succ_{\text{tr}|Vbl}$ is well-founded ordering.

Proof. Since, by Lemma 5, the relation \succ_{tr} is acyclic, its restriction $\succ_{\text{tr}|Vbl}$ is also acyclic. The set

$$\{M \mid \text{vars } M \subseteq Vbl \wedge \text{distinct } M \}$$

is finite, so $\succ_{\text{tr}|Vbl}$ is acyclic ordering on the finite set, and therefore it is well-founded. \square

APPENDIX C. BACKJUMPING

First, it is shown that **backjump'** implies **backjump**.

Lemma 8. If it holds that:

- (1) consistent M (i.e., $Inv_{\text{consistent}}$ holds),
- (2) distinct M (i.e., Inv_{distinct} holds),

(3) `isBackjumpLevel level l c M`,

then it holds that `isUnit c l` (`prefixToLevel level M`).

Proof. From `isBackjumpLevel level l c M`, it follows that $\bar{l} = \text{lastAssertedLiteral } \bar{c} M$, $0 \leq \text{level } \bar{l} M$, and $\forall l'. l' \in c \setminus l \rightarrow \text{level } \bar{l}' M \leq \text{level}$.

Let us denote a valuation `prefixToLevel level M` by P .

From $\bar{l} = \text{lastAssertedLiteral } \bar{c} M$ it follows that $l \in c$ and $\bar{l} \in M$.

It suffices to show that l is undefined in P and that $c \setminus l$ is false in P .

The condition $\bar{l} \notin P$ holds because a literal \bar{l} cannot occur on a level `level` which is lower than its level `level` $\bar{l} M$ in a trail that satisfies `distinct M`.

From $\bar{l} \in M$ and `consistent M`, it follows that $l \notin M$ and since P is a prefix of M , it holds that $l \notin P$.

Any literal from c other than l is false in P . Let l' be such a literal. Since $l' \in c$ and $M \models \neg c$, it follows that $\bar{l}' \in M$. Then, it also holds that `level` $\bar{l}' M \leq \text{level}$ and the literal \bar{l}' has to belong to P , i.e., it holds that $P \models \neg l'$ and $P \models \neg c \setminus l$.

From $l \notin P$, $\bar{l} \notin P$, and $P \models \neg c \setminus l$ it follows `isUnit c l P`. \square

Next, Lemma 1 for the system \rightarrow_b will be proved. Lemmas for the rules `decide` and `unitPropagate` from the previous section still hold, so it suffices only to consider the `backjump` rule.

In`impliedLits`

`backjump`

Let us first show that `InvimpliedLits` holds when a trail M is replaced by its arbitrary prefix.

Lemma 36. If:

(1) $\forall l. l \in M \rightarrow F @ (\text{decisionsTo } l M) \models l$ (i.e., `InvimpliedLits` holds for M),

(2) P is a prefix of M (i.e., $P \leq M$),

then $\forall l. l \in P \rightarrow F @ (\text{decisionsTo } l P) \models l$ (i.e., `InvimpliedLits` holds for P).

Proof. Let l be a literal from P , i.e., $l \in P$. Then it holds that $l \in M$ and, since `InvimpliedLits` holds for M , it holds that $F @ (\text{decisionsTo } l M) \models l$. It also holds that `decisionsTo` $l P = \text{decisionsTo } l M$, hence $F @ (\text{decisionsTo } l P) \models l$. Since l is an arbitrary literal in P , the condition holds. \square

Lemma 37. If:

(1) $\forall l. l \in M \rightarrow F @ (\text{decisionsTo } l M) \models l$ (i.e., `InvimpliedLits` holds for M),

(2) P is a prefix of M (i.e., `isPrefix P M`),

(3) A clause c is entailed by F (i.e., $F \models c$),

(4) The clause c is unit in P with a unit literal l (i.e., `isUnit c l P`),

(5) $M' = P @ l^i$,

then $\forall l'. l' \in M' \rightarrow F @ (\text{decisionsTo } l' M') \models l'$ (i.e., `InvimpliedLits` holds for M'),

Proof. By Lemma 36 it holds that $\forall l'. l' \in P \rightarrow F @ (\text{decisionsTo } l' P) \models l'$ (i.e., `InvimpliedLits` holds for P). By Lemma 32 (since `backjump` performs a unit propagation after taking the prefix) the condition holds. \square

Inv_{vars}M

Backjump

Lemma 38. If:

- (1) $(\text{vars } M) \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds for M),
- (2) P is a prefix of M , i.e., $P \leq M$,
- (3) $\text{var } l \in \text{Vars}$,
- (4) $M' = P @ l^i$,

 then $\text{vars } M' \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds for M').

Proof. Since $P \leq M$ it holds that $\text{vars } P \subseteq \text{vars } M \subseteq \text{Vars}$. Since $\text{vars } M' = \text{vars } P \cup \{\text{var } l\}$, the condition holds. \square

 Therefore, the Lemma 1 holds for the system \rightarrow_b .

Lemma 1. (1) In the initial state $([], F_0)$ all the invariants hold.

- (2) If $(M, F) \rightarrow_b (M', F')$ and if the invariants are met in the state (M, F) , then they are met in the state (M', F') too.
- (3) If $([], F_0) \rightarrow_b^* (M, F)$, then all the invariants hold in the state (M, F) .

 Next, lemmas about the termination of the system \rightarrow_b are proved.

Lemma 11. Let M be a trail and $P = \text{prefixToLevel } level \ M$, such that $0 \leq level < \text{currentLevel } M$. Then

$$M \succ_{\text{tr}} P @ l^i$$

Proof. It suffices to show $M \succ_{\text{lit}}^{\text{lex}} P @ l^i$. From $0 \leq level < \text{currentLevel } M$, by Proposition 20, there is a trail M' , such that $M = P @ M'$, $M' \neq []$, and $\text{isDecision } (\text{head } M')$. Therefore, since $\neg(\text{isDecision } l^i)$, by the definition of \succ_{lit} relation, it holds that $\text{head } M' \succ_{\text{lit}} l^i$. The statement then holds by the second case in the definition of the lexicographic extension. \square

Lemma 10. If it holds that $\text{backjump } (M_1, F_1) (M_2, F_2)$, then $M_1 \succ_{\text{tr}} M_2$.

Proof. Since $\text{backjump } (M_1, F_1) (M_2, F_2)$ holds, there is a literal l , such that $M_2 = P @ l^i$, while $P = \text{prefixToLevel } level \ M$ where $0 \leq level < \text{currentLevel } M$. By Lemma 11, it holds that $M_1 \succ_{\text{tr}} M_2$. \square

Lemma 12. If for a state (M, F) it holds that:

- (1) $\text{consistent } M$ (i.e., $\text{Inv}_{\text{consistent}}$ holds),
- (2) $\text{distinct } M$ (i.e., $\text{Inv}_{\text{distinct}}$ holds),
- (3) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l \ M) \models l$ (i.e., $\text{Inv}_{\text{impliedLits}}$ holds),
- (4) $\text{vars } M \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{vars}M}$ holds),
- (5) $M \models \neg F$,
- (6) $\text{decisions } M \neq []$,

 then there is a state (M', F') such that $\text{backjump } (M, F) (M', F')$.

Proof. Let c is $\overline{\text{decisions } M}$ (hence, $c \neq []$ and $\bar{c} = \text{decisions } M$). By Lemma 3 (notice that this Lemma holds no matter which transition system is used), it holds that $\neg(\text{sat } F @ (\text{decisions } M))$, i.e., $\neg(\text{sat } F @ \bar{c})$. From that it follows $F \models c$.

Let $\bar{l} = \text{lastDecision } M = \text{lastAssertedLiteral } \bar{c} \ M$. By Lemmas 14 and 13, there is a level $level$ such that $\text{isBackjumpLevel } level \ l \ c \ M$. So, it holds that $0 \leq level < \text{level } \bar{l} \ M \leq \text{currentLevel } M$. Let $P = \text{prefixToLevel } level \ M$. By Lemma 8, it follows that $\text{isUnit } c \ l \ P$.

Since $\bar{c} \subseteq \text{decisions } M$, it holds that $\text{vars } c = \text{vars } M \subseteq \text{Vars}$ and, because $l \in c$, it holds that $\text{var } l \in \text{Vars}$.

Therefore, c , l , and P meet the conditions of the rule **backjump**. \square

APPENDIX D. LEARNING AND FORGETTING

Inv_{equiv}

Learn

Lemma 39. If:

- (1) $F \equiv F_0$ (i.e., Inv_{equiv} holds for F),
 - (2) $F \models c$,
 - (3) $F' = F @ c$,
- then $F' \equiv F_0$ (i.e., Inv_{equiv} holds for F').

Proof. Hold trivially by Proposition 13. \square

Forget

Lemma 40. If:

- (1) $F \equiv F_0$ (i.e., Inv_{equiv} holds for F),
 - (2) $F \setminus c \models c$,
 - (3) $F' = F \setminus c$,
- then $F' \equiv F_0$ (i.e., Inv_{equiv} holds for F').

Proof. Holds trivially by 13. \square

Inv_{varsF}

Learn

Lemma 41. If:

- (1) $\text{vars } F \subseteq \text{Vars}$ (i.e., Inv_{varsF} holds for F),
 - (2) $\text{vars } c \subseteq \text{Vars}$,
 - (3) $F' = F @ c$,
- then $\text{vars } F' \subseteq \text{Vars}$ (i.e., Inv_{varsF} holds for F').

Proof. Since $\text{vars } F' = \text{vars } F \cup \text{vars } c$, the condition trivially follows from assumptions. \square

Forget

Lemma 42. If:

- (1) $\text{vars } F \subseteq \text{Vars}$ (i.e., Inv_{varsF} holds for F),
 - (2) $F' = F \setminus c$,
- then $\text{vars } F' \subseteq \text{Vars}$ (i.e., Inv_{varsF} holds for F').

Proof. Since $\text{vars } F' \subseteq \text{vars } F$, the condition trivially follows from assumptions. \square

InvImpliedLits
Learn

Lemma 43. If:

- (1) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l \ M) \models l$ (i.e., $Inv_{impliedLits}$ holds for F),
- (2) $F' = F @ c$,

then $\forall l. l \in M \longrightarrow F' @ (\text{decisionsTo } l \ M) \models l$ (i.e., $Inv_{impliedLits}$ holds for F'),

Proof. Let l be a literal from M . It holds that $F @ (\text{decisionsTo } l \ M) \models l$. Since $F \subseteq F'$, it also holds that $F @ (\text{decisionsTo } l \ M) \subseteq F' @ (\text{decisionsTo } l \ M)$. Hence, by Proposition 12 (monotonicity) it holds that $F' @ (\text{decisionsTo } l \ M) \models l$. \square

Forget

Lemma 44. If:

- (1) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l \ M) \models l$ (i.e., $Inv_{impliedLits}$ holds for F),
- (2) $F \setminus c \models c$,
- (3) $F' = F \setminus c$,

then $\forall l. l \in M \longrightarrow F' @ (\text{decisionsTo } l \ M) \models l$ holds (i.e., $Inv_{impliedLits}$ holds for F'),

Proof. Let l be a literal from M . Since $F \models c$ holds, by Proposition 12 it holds that $F \setminus c \models F$. So, by monotonicity, it also holds that $F' @ (\text{decisionsTo } l \ M) \models F @ (\text{decisionsTo } l \ M)$. Since, from assumptions it holds that $F @ (\text{decisionsTo } l \ M) \models l$, by transitivity it holds that $F' @ (\text{decisionsTo } l \ M) \models l$. \square

Therefore, Lemma 1 holds for \rightarrow_l .

Lemma 1. (1) In the initial state $([], F_0)$ all the invariants hold.

- (2) If $(M, F) \rightarrow_l (M', F')$ and if the invariants are met in the state (M, F) , then they are met in the state (M', F') too.
- (3) If $([], F_0) \rightarrow_l^* (M, F)$, then all the invariants hold in the state (M, F) .

APPENDIX E. CONFLICT ANALYSIS

Lemma 13. If it holds that

- (1) $\text{distinct } M$ (i.e., $Inv_{distinct}$ holds),
- (2) $\text{isUIP } l \ c \ M$,
- (3) $\text{level } \bar{l} \ M > 0$,

then there is $level$ such that it holds $\text{isBackjumpLevel } level \ l \ c \ M$.

Proof. The conditions $M \models \neg c$ and $\bar{l} = \text{lastAssertedLiteral } \bar{c} \ M$ directly follow from $\text{isUIP } l \ c \ M$.

Let us consider the following two cases:

- (1) $c \setminus l = []$: Then 0 is the required level $level$.
- (2) $c \setminus l \neq []$: Let $\bar{l}' = \text{lastAssertedLiteral } \bar{c} \setminus \bar{l} \ M$ and let $level = \text{level } \bar{l}' \ M$. Then it holds that $l' \in c \setminus l$ and $\bar{l}' \in M$. Since it holds that $l' \in c \setminus l$ and $\text{isUIP } l \ c \ M$, it follows that

$$level = \text{level } \bar{l}' \ M < \text{level } \bar{l} \ M.$$

Let us consider a literal l'' such that $l'' \in c \setminus l$. Since it holds that $\text{distinct } M$ and $\bar{l}' = \text{lastAssertedLiteral } \overline{c \setminus l} M$, it holds that

$$\text{level } \bar{l}'' M \leq \text{level } \bar{l}' M < \text{level } \bar{l} M.$$

□

Lemma 14. If it holds that:

- (1) $\text{distinct } M$ (i.e., $\text{Inv}_{\text{distinct}}$ holds),
- (2) $\bar{c} \subseteq \text{decisions } M$,
- (3) $\bar{l} = \text{lastAssertedLiteral } \bar{c} M$,

then it holds that $\text{isUIP } l \ c \ M$.

Proof. From $\bar{c} \subseteq \text{decisions } M$, it trivially holds that $M \models \neg c$.

Let $l' \in c \setminus l$. From $\bar{l} = \text{lastAssertedLiteral } \bar{c} M$, it follows

$$\text{level } \bar{l}' M \leq \text{level } \bar{l} M.$$

From $\bar{c} \subseteq \text{decisions } M$, it follows $\bar{l}' \in \text{decisions } M$ and $\bar{l} \in \text{decisions } M$. Hence,

$$\text{level } \bar{l}' M \neq \text{level } \bar{l} M,$$

and the conjecture holds. □

Next we show Lemma 1 for system \rightarrow_c .

Inv_{equiv}

All rules except **learn** do not change F , so the $\text{Inv}_{\text{equiv}}$ is trivially maintained.

Learn

Lemma 45. If:

- (1) $F \equiv F_0$ (i.e., $\text{Inv}_{\text{equiv}}$ holds for F),
- (2) $\text{cflct} \rightarrow F \models C$ (i.e., $\text{Inv}_{\text{Centailed}}$ holds),
- (3) $\text{cflct} = \top$,
- (4) $F' = F @ C$,

then $F' \equiv F_0$ holds (i.e., $\text{Inv}_{\text{equiv}}$ holds for F').

Proof. Since, from $\text{cflct} = \top$ and $\text{cflct} \rightarrow F \models C$, it holds that $F \models C$, the condition holds by Lemma 39. □

Inv_{varsF}

All rules except **learn** do not change F so $\text{Inv}_{\text{varsF}}$ is trivially maintained.

Learn

Lemma 46. If:

- (1) $\text{vars } F \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{varsF}}$ holds for F),
- (2) $\text{vars } M \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{varsM}}$ holds for M),
- (3) $\text{cflct} \rightarrow M \models \neg C$ (i.e., $\text{Inv}_{\text{Cfalse}}$ holds),
- (4) $\text{cflct} = \top$,
- (5) $F' = F @ C$,

then $\text{vars } F' \subseteq \text{Vars}$ (i.e., $\text{Inv}_{\text{varsF}}$ holds for F').

Proof. Since, from $\text{cflct} = \top$ and $\text{cflct} \rightarrow M \models \neg C$ it holds that $M \models \neg C$, it holds that $\text{vars } C \subseteq \text{vars } M \subseteq \text{Vars}$. Then the condition holds by Lemma 41. □

Inv_{impliedLits}

The rules **decide**, **unitPropagate**, and **learn** maintain this invariant by lemmas 29, 32, and 43. The rules **conflict**, and **Explain** do not change M nor F so they trivially maintain this invariant.

Backjump

The next lemma shows that the **backjump** rule as defined within \rightarrow_c maintains $Inv_{impliedLits}$.

Lemma 47. If:

- (1) consistent M (i.e., $Inv_{consistent}$ holds),
- (2) unique M (i.e., Inv_{unique} holds),
- (3) $\forall l. l \in M \rightarrow F @ (\text{decisionsTo } l \ M) \models l$ (i.e., $Inv_{impliedLits}$ holds for M),
- (4) $cfct \rightarrow F \models C$ (i.e., $Inv_{Ctailed}$ holds),
- (5) $cfct = \top$,
- (6) $level$ is a backjump level, i.e., $\text{isBackjumpLevel } level \ l \ C \ M$,
- (7) $M' = (\text{prefixToLevel } level \ M) @ l'$,

then $\forall l'. l' \in M' \rightarrow F @ (\text{decisionsTo } l' \ M') \models l'$ (i.e., $Inv_{impliedLits}$ holds for M'),

Proof. By Lemma 8 it holds that $\text{isUnit } C \ l \ (\text{prefixToLevel } level \ M)$. From $cfct = \top$ and $cfct \rightarrow F \models C$ it holds that $F \models C$. Therefore, Lemma 37 can be applied and the condition holds. \square

Inv_{Cfalse}

After the rule **backjump**, the $cfct$ is set to \perp , so this invariant is trivially maintained. The rule **learn** does not change neither M nor C so it also trivially maintains this invariant. The rules **decide** and **unitPropagate** extend M , so they maintain this invariants by Proposition 7 (i.e., by $v \models \neg c \rightarrow (v @ v') \models \neg c$). Since the rule **conflict** sets C to a clause c for which $M \models \neg c$ holds, the invariant trivially holds.

Explain

Lemma 48. If:

- (1) $cfct \rightarrow M \models \neg C$ (i.e., Inv_{Cfalse} holds for C),
- (2) l is a literal such that $l \in C$ and c is a reason for propagation of \bar{l} (i.e., $\text{isReason } c \ \bar{l} \ M$),
- (3) $C' = \text{resolvent } C \ c \ l$,
- (4) $cfct = \top$,

then $cfct \rightarrow M \models \neg C'$ (i.e., Inv_{Cfalse} holds for C').

Proof. Since $M \models \neg C$ all literals in C , including the literal l are false in M . Since $\text{isReason } c \ \bar{l} \ M$ holds, all literals of c except \bar{l} (which is true), are false in M , i.e., it holds that $M \models \neg c \setminus \bar{l}$. The clause C' i.e., $\text{resolvent } C \ c \ l = (C \setminus l) @ (c \setminus \bar{l})$, consists of all literals from C except l and all literals from c except \bar{l} and therefore it is false in M , i.e., it holds $M \models \neg C'$. \square

Inv_{Ctailed}

After the rule **backjump**, the variable $cfct$ is set to \perp , so this invariant is trivially maintained. The rules **decide** and **unitPropagate** do not change neither C nor F so they also trivially maintain this invariant. Since the rule **conflict** sets the clause C to the clause c for which it holds that $F \models c$, this invariant also trivially holds. Since the rule **learn** extends F , the invariant is maintained by monotonicity, i.e., by the proposition $F \models C \rightarrow (F @ c) \models C$ shown in Proposition 12.

Explain

Lemma 49. If:

- (1) $cfct \longrightarrow F \models C$ (i.e., $Inv_{Centailed}$ holds for C),
- (2) $F \models c$,
- (3) $cfct = \top$,
- (4) $C' = \text{resolvent } C \ c \ l$, for a literal l ,

then it holds that $cfct \longrightarrow F \models C'$ (i.e., $Inv_{Centailed}$ holds for C').

Proof. Let M' be a model of F , i.e., $M' \models F$. From $cfct = \top$, it holds that $F \models C$, so $M' \models C$. Since $F \models c$ holds, it follows that $M' \models c$. Since M' is a model, consistent M' holds. Therefore, by Proposition 14, it holds that $M' \models \text{resolvent } C \ c \ \bar{l}$. \square

Inv_{varsM}

The rules **conflict**, **explain** and **learn** do not change M so the invariant is trivially maintained. The rule **decide** maintains the invariant by Lemma 33. Since the definition of the rule **unitPropagate** within \rightarrow_c does not require that $c \in F$, Lemma 35 cannot be applied. However, since it is explicitly required that $\text{var } l \in \text{Vars}$, the invariant trivially holds.

Backjump

Lemma 50. If:

- (1) $\text{vars } M \subseteq \text{Vars}$ (i.e., Inv_{varsM} holds for M),
- (2) $P = (\text{prefixToLevel level } M)$,
- (3) $\text{isBackjumpLevel level } l \ C \ M$,
- (4) $cfct = \top$,
- (5) $M' = P \ @ \ l$,

then $\text{vars } M' \subseteq \text{Vars}$ (i.e., Inv_{varsM} holds for M'),

Proof. Since P is a prefix of M , i.e., $P \leq M$ and $\text{vars } M \subseteq \text{Vars}$, it holds that $\text{vars } P \subseteq \text{Vars}$. Since $\text{vars } M' = \text{vars } P \cup \{\text{var } l\}$, it suffices to show that $\text{var } l \in \text{Vars}$. From $\text{isBackjumpLevel level } l \ C \ M$, it holds that $\bar{l} = \text{lastAssertedLiteral } \bar{C} \ M$, so $\bar{l} \in M$. Then the condition follows from $\text{vars } M \subseteq \text{Vars}$. \square

Inv_{reasonClauses}

The rules **conflict** and **explain** do not change neither M nor F , so the invariant is trivially maintained. The **Decide** rule does not add new implied literals to M , so it also trivially maintains this invariant. Since the rule **learn** extends F , invariant holds by monotonicity, i.e., by the property $F \models c \longrightarrow (F \ @ \ C) \models c$ proved in Proposition 12.

The following lemma ensures that the invariant holds after both pravila **unitPropagate** and **backjump**

Lemma 51.

$$\text{isUnit } c \ l \ M \longrightarrow \text{isReason } c \ l \ (M \ @ \ l)$$

Proof. From $\text{isUnit } c \ l \ M$ it holds that $M \models \neg(c \setminus l)$, $M \not\models \neg l$, and $M \not\models l$. Therefore, by monotonicity it follows that $(M \ @ \ l) \models \neg(c \setminus l)$. The condition $(M \ @ \ l) \models l$ holds trivially. If $l' \in (c \setminus l)$ then $\bar{l}' \in M$, so it holds that $\bar{l}' \prec_M l$. \square

unitPropagate

Lemma 52. If:

- (1) $\forall l. l \in M \wedge l \notin \text{decisions } M \longrightarrow \exists c. \text{isReason } c \text{ l } M \wedge F \models c$ (i.e., $\text{Inv}_{\text{reasonClauses}}$ holds for M),
- (2) c is a clause such that $F \longrightarrow c$ and $\text{isUnit } c \text{ l } M$.
- (3) $M' = M @ l$,

then $\forall l. l \in M' \wedge l \notin \text{decisions } M' \longrightarrow \exists c. \text{isReason } c \text{ l } M' \wedge F \models c$ (i.e., $\text{Inv}_{\text{reasonClauses}}$ holds for M'),

Proof. For implied literals from M , the condition trivially holds. For the literal l , it holds by Lemma 51. \square

Backjump

Lemma 53. If:

- (1) $\forall l. l \in M \wedge l \notin \text{decisions } M \longrightarrow \exists c. \text{isReason } c \text{ l } M \wedge F \models c$ (i.e., $\text{Inv}_{\text{reasonClauses}}$ holds for M),
- (2) $\text{consistent } M$ (i.e., $\text{Inv}_{\text{consistent}}$ holds),
- (3) $\text{unique } M$ (i.e., $\text{Inv}_{\text{unique}}$ holds),
- (4) $\forall l. l \in M \longrightarrow F @ (\text{decisionsTo } l \text{ } M) \models l$ (i.e., $\text{Inv}_{\text{impliedLits}}$ holds for M),
- (5) $\text{cflct} \longrightarrow F \models C$ (i.e., $\text{Inv}_{\text{Centailed}}$ holds),
- (6) $\text{cflct} = \top$,
- (7) level is a backjump level, i.e., $(\text{isBackjumpLevel } \text{level } l \text{ } C \text{ } M)$,
- (8) $M' = (\text{prefixToLevel } \text{level } M) @ l^i$,

then $\forall l. l \in M' \wedge l \notin \text{decisions } M' \longrightarrow \exists c. \text{isReason } c \text{ l } M' \wedge F \models c$ (i.e., $\text{Inv}_{\text{reasonClauses}}$ holds for M'),

Proof. For implied literals in M , the condition trivially holds, since P is a prefix of M , and invariant $\text{Inv}_{\text{reasonClauses}}$ is trivially preserved when M is replaced by its prefix. For the literal l , the condition holds by Lemma 51. Indeed, by Lemma 8 it holds that $\text{isUnit } C \text{ l } (\text{prefixToLevel } \text{level } M)$. From $\text{cflct} = \top$ and $\text{cflct} \longrightarrow F \models C$ it holds that $F \models C$. \square

Therefore, Lemma 1 holds for \rightarrow_c .

Lemma 1. (1) In the initial state $([], F_0)$ all the invariants hold.

(2) If $(M, F) \rightarrow_c (M', F')$ and if the invariants are met in the state (M, F) , then they are met in the state (M', F') too.

(3) If $([], F_0) \rightarrow_c^* (M, F)$, then all the invariants hold in the state (M, F) .

Lemma 15. If there is a rejecting state (M, F, C, cflct) such that it holds

- (1) $F \equiv F_0$, (i.e., $\text{Inv}_{\text{equiv}}$ holds)
- (2) $\text{cflct} \longrightarrow F \models C$ (i.e., $\text{Inv}_{\text{Centailed}}$ holds),

then F_0 is unsatisfiable (i.e., $\neg(\text{sat } F_0)$).

Proof. In a rejecting state it holds that $\text{cflct} = \top$ and $C = []$. Since, $F \models []$, by Proposition 12, it follows $\neg(\text{sat } F)$, and since $F \equiv F_0$ it holds that $\neg(\text{sat } F_0)$. \square

Lemma 18. For any trail M , the ordering \succ_{Cla}^M is well-founded.

Proof. Let f be a function such that $f(C) = \langle \text{remDups } \overline{C} \rangle$. It holds that $\succ_{\text{Cla}}^M = f^{-1}(\prec_M^{\text{mult}})$. By Proposition 2, the ordering \prec_M is well-founded. By propositions 1 and 1 the ordering \succ_{Cla}^M is also well-founded, since it is a inverse image of a multiset extension of a well-founded ordering. \square

Lemma 19. If it holds that $l \in C$ and $\text{isReason } c \bar{l} M$, then $C \succ_{\text{Cla}}^M \text{ resolve } C c l$.

Proof. Let us denote $S_1 = \langle \text{remDups } \overline{\text{resolve } C c l} \rangle$, and $S_2 = \langle \text{remDups } \overline{C} \rangle$ and let us prove that it holds $S_1 \prec_M^{\text{mult}} S_2$. By the definition of the multiset extension of an ordering it suffices to find multisets S and S'_1 , and an element s_2 such that $S_1 = S \cup S'_1$, $S_2 = S \cup \langle s_2 \rangle$, and $\forall s_1. s_1 \in S'_1 \rightarrow s_1 \prec_M s_2$. These elements are

$$S = \langle \text{remDups } \overline{C \setminus l} \rangle, \quad S'_1 = \langle \text{remDups } \overline{(c \setminus C) \setminus l} \rangle, \quad s_2 = \bar{l}.$$

$S_2 = S \cup \langle s_2 \rangle$ holds since $l \in C$.

Let us prove that it holds $S_1 = S \cup S'_1$. By the definition of the function **resolve**, it holds that $S_1 = \langle \text{remDups } \overline{(C \setminus l) @ (c \setminus l)} \rangle$. By properties of multisets and the function **remDups**, it holds that $S_1 = \langle \text{remDups } \overline{C \setminus l} \cup \langle \text{remDups } \overline{(c \setminus l) \setminus (C \setminus l)} \rangle \rangle$. Further, it holds that $\overline{(c \setminus C) \setminus l} = \overline{c \setminus l} \setminus \overline{C \setminus l}$. Indeed, it holds $l \notin (c \setminus l)$ and, hence, $(c \setminus l) \setminus C = (c \setminus l) \setminus (C \setminus l)$, so it holds $S_1 = S \cup S'_1$.

Let us prove $\forall s_1. s_1 \in S'_1 \rightarrow s_1 \prec_M s_2$. Let it holds $s_1 \in S'_1$. Then, $\bar{s}_1 \in c$, $\bar{s}_1 \notin C$, and $s_1 \neq l$. Since it also holds that $\text{isReason } c \bar{l} M$, it follows that $s_1 \prec_M \bar{l}$, and the conjecture holds since $s_2 = \bar{l}$. \square

Lemma 20.

$$\text{explain } (M, F, C_1, \text{cflct}) (M, F, C_2, \text{cflct}) \rightarrow C_1 \succ_{\text{Cla}}^M C_2$$

Proof. Since it holds $\text{explain } (M, F, C_1, \text{cflct}) (M, F, C_2, \text{cflct})$, there is a literal l and a clause c such that it holds $l \in C_1$, $\text{isReason } c \bar{l} M$, and $C_2 = \text{resolve } C c l$. Therefore, the conjecture holds by Lemma 19. \square

Lemma 21. The ordering \succ_{Form}^C is well-founded.

Proof. A sufficient condition — the minimal element property will be proved:

$$\forall Q. (\exists F \in Q) \rightarrow (\exists F_{\min} \in Q. (\forall F'. F_{\min} \succ_{\text{Form}}^C F' \rightarrow F' \notin Q))$$

Let Q is an arbitrary set and let a formula F be an element of that set.

If there is a formula from Q that contains a clause C , then it can serve as F_{\min} . There is no formula F' such that $F_{\min} \succ_{\text{Form}}^C F'$. Indeed, if for some F' it holds that $F_{\min} \succ_{\text{Form}}^C F'$, then it would hold $C \notin F_{\min}$, which is impossible.

If there is no a formula from Q that contains a clause C , then any formula from Q can serve as F_{\min} . Indeed, let us suppose that there is a formula F' such that $F_{\min} \succ_{\text{Form}}^C F'$, and hence $C \in F'$. It must holds that $F' \notin Q$. Indeed, if it holds that $F' \in Q$, then there is be a formula from Q that contains C (the formula F'), which is a contradiction. \square

Lemma 23. If for the state $(M, F, C, cflct)$ it holds that:

- (1) $cflct = \top$,
- (2) **distinct** M (i.e., $Inv_{distinct}$ holds),
- (3) $cflct \longrightarrow M \models \neg C$ (i.e., $Inv_{C_{false}}$ holds),
- (4) the rules **Explain** and **Backjump** are not applicable,

then it holds that the state $(M, F, C, cflct)$ is a rejecting state and $C = []$.

Proof. Let us suppose the opposite, i.e., let us suppose that it holds $C \neq []$. There are two cases to consider:

- (1) $\bar{C} \subseteq$ decisions M . Let $\bar{l} = \text{lastAssertedLiteral } \bar{C} M$. By Lemmas 14 and 13 there is $level$ such that it holds that $\text{isBackjumpLevel } level \ l \ c \ M$. Then, since $cflct = \top$, the rule **Backjump** is applicable, which is a contradiction.
- (2) There is a literal l , such that it holds $l \in C$ and $\bar{l} \notin$ decisions M . Since it holds that $l \in C$ and $M \models \neg C$, it follows $\bar{l} \in M$.

□

Lemma 24. If in the state $(M, F, C, cflct)$ it holds that $cflct = \perp$ and the rule **Conflict** is not applicable, then it holds that the state $(M, F, C, cflct)$ is an accepting state and $M \not\models \neg F$.

Proof. Let us suppose the opposite, i.e., let us suppose that it holds that $M \models \neg F$. Then there is a clause c such that $c \in F$ and $M \models \neg c$. From $c \in F$ it follows $F \models c$. Since it holds that $cflct = \perp$, $F \models c$, and $M \models \neg c$, the rule **Conflict** is applicable, which is a contradiction. □

APPENDIX F. RESTARTING AND FORGETTING

Lemma 26. Let s_0 be an initial state, $s_0 \rightarrow^* s_A$ and $\text{backjumpAndLearn } s_A \ s_B$, where $s_A = (M_A, Fl_A, C_A, \top, lnt_A)$ and $s_B = (M_B, Fl_B, C_B, \perp, \top)$. Then $C_A \notin F_0 @ Fl_A$.

Proof. Assume the opposite, i.e., $C_A \in F_0 @ Fl_A$. Since $s_0 \rightarrow^* s_A$, by Lemma 1', all invariants hold in s_A . Especially, consistent M_A , distinct M_A and $M_A \models \neg C_A$. Let l and $level$ be the backjump literal and level, i.e.,

$\text{isMinimalBackjumpLevel } level \ l \ C_A \ M_A$. It holds that $0 = \text{currentLevel } M_0 \leq level < \text{currentLevel } M_A$. By Lemma 8, C_A is unit in prefix of M_A to the level $level$, i.e., $\text{isUnit } C_A \ l$ ($\text{prefixToLevel } level \ M_A$).

Since $s_0 \neq s_A$ and $s_0 \rightarrow^* s_A$, there exists a list of states $chain = [s_0, s_1, \dots, s_A]$, such that each two successive states from the list are related, i.e., $s_i \rightarrow s_{i+1}$. Since the currentLevel function of two consecutive states can increase only by 1 and since $0 = \text{currentLevel } M_0 \leq level < \text{currentLevel } M_A$, there must be a state s_k in the $chain$ with the trail M_k such that $\text{currentLevel } M_k = level$. There is also the last such state s_m , i.e., the state with the trail M_m such that $\text{currentLevel } M_m = level$, and such that for all the states s_i after it in the $chain$ with trail components M_i it holds that $\text{currentLevel } M_i > level$. It holds that $M_m = \text{prefixToLevel } level \ M_A$, and therefore C_A is unit in M_m . Since the level of the trail in s_{m+1} is greater then the level of the trail in s_m , it holds $\text{decide } s_m \ s_{m+1}$. Because of the exhaustiveness of unit propagation it must hold that $C_A \notin F_0 @ Fl_m$ (where, of course, Fl_m are learnt clauses in s_m). On the other hand, because of the opposite assumption $C_A \in F_0 @ Fl_m$. Therefore, the clause C_A must have been learnt in the meantime i.e., there is a state $s_{m'}$ after the state s_m in the $chain$ where the conflict clause $C_{m'}$ is equal to C_A and such that $\text{appliedBackjumpAndLearn } s_{m'} \ s_{m'+1}$. Let $level'$ and l' be the backjump level

and backjump literal for the state $s_{m'}$. Since $s_0 \rightarrow^* s_{m'}$, by Lemma 1', all invariants hold in $s_{m'}$. Especially, consistent $M_{m'}$, distinct $M_{m'}$ and $M_{m'} \models \neg C_{m'}$ so $M_{m'} \models \neg C_A$. It holds that $M_m = \text{prefixToLevel } level \ M_{m'}$, because $\text{currentLevel } M_m = level$ and because for all states between s_m and $s_{m'}$ the currentLevel is greater then $level$. Therefore, the clause C_A is unit in the prefix to the level $level$ of $M_{m'}$. Since the backjumping is always performed to the minimal possible backjump level, it must hold that $level' \leq level$. Since backjumping is performed to $level'$ this is the current level of the trail in $s_{m'+1}$ i.e., $\text{currentLevel } M_{m'+1} \leq level$. Since $s_{m'+1}$ is in the *chain* after s_m this cotradsicts the fact that last visit of the level $level$ happend in s_m i.e., the fact that for all the states s_i after s_m in the *chain* it holds that $\text{currentLevel } M_i > level$. \square